

DAFTAR PUSTAKA

- [1] M. A. Rohman, "Assessment of the Government's Role Performance in Public-Private Partnership (PPP) Toll Road Projects in Indonesia," *J. Financ. Manag. Prop. Constr.*, 2021, doi: 10.1108/jfmppc-07-2019-0065.
- [2] C. F. Asuquo, A. Lashinde, and E. Adu, "Governance Quality and Public Sector Procurement of Infrastructure Projects in Developing Countries: Evidence From Nigeria," *J. Public Procure.*, 2021, doi: 10.1108/jopp-10-2019-0067.
- [3] G. Song, Y. Zheng, and B. Wu, "Emerging Construction Materials and Sustainable Infrastructure," *Appl. Sci.*, 2019, doi: 10.3390/app9194127.
- [4] K. Vijay and M. Murmu, "Self-Repairing of Concrete Cracks by Using Bacteria and Basalt Fiber," *Sn Appl. Sci.*, 2019, doi: 10.1007/s42452-019-1404-5.
- [5] L. Lisienkova, T. Shindina, N. Orlova, and L. Komarova, "Optimization of the Concrete Composition Mix at the Design Stage," *Civ. Eng. J.*, 2021, doi: 10.28991/cej-2021-03091732.
- [6] A. Marsh, A. Heath, P. Walker, B. V. V. Reddy, and G. Habert, "Discussion of 'Earth Concrete. Stabilization Revisited,'" *Cem. Concr. Res.*, 2020, doi: 10.1016/j.cemconres.2020.105991.
- [7] J. Ahmad, Z. Zhou, R. Martínez-García, N. Vatin, J. de-Prado-Gil, and M. A. El-Shorbagy, "Waste Foundry Sand in Concrete Production Instead of Natural River Sand: A Review," *Materials (Basel)*, 2022, doi: 10.3390/ma15072365.
- [8] D. Kazmi *et al.*, "Kaolin Clay Reinforced With a Granular Column

- Containing Crushed Waste Glass or Traditional Construction Sands,” *Int. J. Geomech.*, 2022, doi: 10.1061/(asce)gm.1943-5622.0002322.
- [9] J. Wu *et al.*, “Particle Characterization of Manufactured Sand and Its Influence on Concrete Properties,” *Materials (Basel)*., 2022, doi: 10.3390/ma15134593.
- [10] Z. Jiang, Q. Xiong, X. Chen, and Y. Fang, “Synthesis and Properties of a New Clay-Resistant Polycarboxylic Acid Water Reducer Research,” *J. Phys. Conf. Ser.*, 2023, doi: 10.1088/1742-6596/2539/1/012061.
- [11] H. Chu, Y. Zhang, F. Wang, T. Feng, L. Wang, and D. Wang, “Effect of Graphene Oxide on Mechanical Properties and Durability of Ultra-High-Performance Concrete Prepared From Recycled Sand,” *Nanomaterials*, 2020, doi: 10.3390/nano10091718.
- [12] U. S. Saputri, Y. Suharnoto, A. Sapei, and N. vuegen, “The Utilization of Drill Cutting Waste for Brick Manufacturing,” *Int. J. Eng. Appl. Technol.*, 2020, doi: 10.52005/ijeat.v3i2.63.
- [13] K. S. A. Venkadesh *et al.*, “Feasibility Study on the Development of Fly Ash Bricks Utilizing Vermicompost as an Alternate Material for M Sand,” *Int. Rev. Appl. Sci. Eng.*, 2022, doi: 10.1556/1848.2021.00320.
- [14] S. Ahmed *et al.*, “Improving the Thermal Performance and Energy Efficiency of Buildings by Incorporating Biomass Waste Into Clay Bricks,” *Materials (Basel)*., 2023, doi: 10.3390/ma16072893.
- [15] M. U. Shah, M. Usman, M. U. Hanif, I. Naseem, and S. Farooq, “Utilization of Solid Waste From Brick Industry and Hydrated Lime in Self-Compacting Cement Pastes,” *Materials (Basel)*., 2021, doi:

10.3390/ma14051109.

- [16] H. Warnphen, N. Supakata, and V. Kanokkantapong, “The Reuse of Waste Glass as Aggregate Replacement for Producing Concrete Bricks as an Alternative for Waste Glass Management on Sichang Island,” *Eng. J.*, 2019, doi: 10.4186/ej.2019.23.5.43.
- [17] BSN, “SNI 03-0349-1989 tentang Bata beton untuk pasangan dinding,” *Sni 03-0349-1989*, vol. ICS 91.100, no. 1, pp. 1–6, 1989, [Online]. Available: [1] BSN, “SNI 03-0349-1989 tentang Bata beton untuk pasangan dinding,” *Sni 03-0349-1989*, vol. ICS 91.100, no. 1, pp. 1–6, 1989.
- [18] J. Ahmad *et al.*, “Concrete With Partial Substitution of Waste Glass and Recycled Concrete Aggregate,” *Materials (Basel)*., 2022, doi: 10.3390/ma15020430.
- [19] S. Rahayu, N. Nurhidayati, D. W. Kurniawidi, and S. Alaa, “Identifikasi Sifat Fisis Kandidat Wafer Dari Limbah Tahu Sebagai Alternatif Pakan Ternak,” *Indones. Phys. Rev.*, 2021, doi: 10.29303/ipr.v4i1.72.
- [20] P. Agviolita, Y. Yushardi, and F. K. A. Anggraeni, “Pengaruh Perbedaan Biochar Terhadap Kemampuan Menjaga Retensi Pada Tanah,” *J. Fis. Unand*, 2021, doi: 10.25077/jfu.10.2.267-273.2021.
- [21] A. Sutandi and W. Kushartomo, “Pengaruh Ukuran Butiran Maksimum Terhadap Kuat Tekan Reactive Powder Concrete,” *J. Muara Sains Teknol. Kedokt. Dan Ilmu Kesehat.*, 2019, doi: 10.24912/jmstkik.v3i1.5193.
- [22] O. Olofinnade and J. Ogara, “Workability, strength, and microstructure of high strength sustainable concrete incorporating recycled clay brick aggregate and calcined clay,” *Clean. Eng. Technol.*, vol. 3, p. 100123,

2021, doi: 10.1016/j.clet.2021.100123.

- [23] O. M. Olofinnade *et al.*, “Mechanical properties of high strength eco-concrete containing crushed waste clay brick aggregates as replacement for sand,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 640, no. 1, 2019, doi: 10.1088/1757-899X/640/1/012046.
- [24] M. M. Atyia, M. G. Mahdy, and M. Abd Elrahman, “Production and properties of lightweight concrete incorporating recycled waste crushed clay bricks,” *Constr. Build. Mater.*, vol. 304, no. May, p. 124655, 2021, doi: 10.1016/j.conbuildmat.2021.124655.
- [25] C. Xiong, W. Chen, M. Shen, and Z. Li, “Experimental investigation on recycled clay brick powder as a sand replacement in LFC,” *Mag. Concr. Res.*, vol. 71, no. 23, pp. 1206–1217, 2019, doi: 10.1680/jmacr.18.00159.
- [26] A. El-Mir, S. Nehme, and J. Assaad, “Feasibility of concrete mixtures containing coarse and/or fine recycled brick aggregates,” *Mag. Civ. Eng.*, vol. 116, no. 8, 2022, doi: 10.34910/MCE.116.3.
- [27] F. S. A. Haryono and Y. P. Prihatmaji, “Pemetaan Kualitas Tipe Batu Bata Berdasarkan Komposisi Dan Bahan Pembakar Di Kabupaten Bantul,” *Modul*, vol. 21, no. 1, pp. 10–20, 2021, doi: 10.14710/mdl.21.1.2021.10-20.
- [28] M. Bahrudin, A. I. Candra, and S. Winarto, “Beton Fc’ 21,7 Mpa Menggunakan Agregat Kasar Biji Genitri,” *J. Manaj. Teknol. Tek. Sipil*, 2020, doi: 10.30737/jurmateks.v3i2.1135.
- [29] “Effect of Nano SiO₂ Enhanced Polyurethane Road Grouting Material on Folding Strength and Durability of Road Concrete,” *Int. J. Eng. Technol. Constr.*, 2022, doi: 10.38007/ijetc.2022.030104.

- [30] G. A. Papendang, J. Tanijaya, and O. J. Sanggaria, "Penggunaan Abu Marmer Dan Fly Ash Sebagai Pengganti Sebagian Semen Pada Beton Normal," *Paulus Civ. Eng. J.*, 2023, doi: 10.52722/pcej.v5i1.611.
- [31] R. Larici, G. Wibisono, and M. Olivia, "Durabilitas Beton Menggunakan Remah Karet Dan FABA (Fly Ash Bottom Ash) Untuk Perkerasan Kaku Di Lingkungan Gambut," *J. Rekayasa Sipil*, 2020, doi: 10.25077/jrs.16.2.143-153.2020.
- [32] A. G. Fatah, A. Ridwan, and S. Winarto, "Studi Perencanaan Bangunan Atas Gedung Permata Indah Di Desa Kedung Dowo Kabupaten Nganjuk," *J. Manaj. Teknol. Tek. Sipil*, 2020, doi: 10.30737/jurmateks.v3i2.1139.
- [33] L. C. B. Costa, M. A. Nogueira, L. C. Ferreira, F. P. da F. Elói, J. M. F. de Carvalho, and R. A. F. Peixoto, "Eco-Efficient Steel Slag Concretes: An Alternative to Achieve Circular Economy," *Rev. Ibracon Estruturas E Mater.*, 2022, doi: 10.1590/s1983-41952022000200001.
- [34] W. Wibowo, E. Safitri, and D. I. Nurdhyanti, "Kajian Kuat Lekat Beton Memadat Mandiri Mutu Tinggi Dengan Metakaolin 12,5% Dan Variasi Agregat Limbah Pecahan Keramik," *Matriks Tek. Sipil*, 2022, doi: 10.20961/mateksi.v10i4.64241.
- [35] S. Nasrul, G. Yanti, and S. W. Megasari, "Hubungan Kuat Tekan Dan Kuat Lentur Pada Beton Berpori," *J. Rekayasa Konstr. Mek. Sipil*, 2021, doi: 10.54367/jrkms.v4i1.1122.
- [36] N. Grace, R. Rachman, and Alpius, "Penggunaan Limbah Beton Sebagai Agregat Pada Campuran Stone Matrix Asphalt Halus," *Paulus Civ. Eng. J.*, 2021, doi: 10.52722/pcej.v3i4.329.

- [37] M. Muhsar, A. Kadir, and S. Sulaiman, “Penggunaan Limbah Nikel Sebagai Material Substitusi Agregat Kasar Pada Beton K.250,” *Sultra Civ. Eng. J.*, 2021, doi: 10.54297/sciej.v2i1.165.
- [38] G. A. Hayu, K. Dewi, G. Aryawitra, and R. Akbar, “The Evaluation of Mechanical Properties of Concrete Due to the Use of Glass Waste as Partial Substitution of Fine Aggregate,” *Berk. Sainstek*, 2021, doi: 10.19184/bst.v9i3.26628.
- [39] P. Limbah Batubara Sebagai Material Pengganti Agregat Kasar Pada Pembuatan Beton Ringan, A. Firda, R. Permatasari, and I. Syahrul Fuad, “Ani Firda, Rosmalinda Permatasari, Indra Syahrul Fuad ISSN,” vol. 6, no. 1, pp. 2621–7929, 2021.
- [40] A. Riyanto, D. Yuliani, L. R. Amalia, and E. Astuti, “Optimalisasi Penggunaan Gypsum Dan Batu Kapur Pada Pembuatan Semen Putih,” *Chem. J. Tek. Kim.*, 2020, doi: 10.26555/chemica.v6i2.14629.
- [41] F. I. Muhammad and R. D. Kusdian, “Pengaruh Penggunaan Produk Semen Terhadap Nilai Kuat Tekan Beton,” *Sist. Infrastruktur Tek. Sipil*, vol. 1, no. 1, p. 42, 2021, doi: 10.32897/simteks.v1i1.803.
- [42] W. Wibowo, A. Basuki, and M. M. Sanjaya, “Uji Kuat Lekat Dan Penjangkaran Beton Memadat Mandiri Dengan Bahan Tambah Aktivator Alkali Dan Metakaolin,” *Matriks Tek. Sipil*, 2022, doi: 10.20961/mateksi.v10i2.60772.
- [43] N. M. Utami, M. A. Baihaki, and D. Nurtanto, “Korelasi Kuat Tekan Beton Dan Ketahanan Sulfat Pada Beton Normal Dengan Penambahan Kaolin Sebagai Substitusi Parsial Semen,” *Teras J.*, 2023, doi:

10.29103/tj.v13i1.807.

- [44] Y. Yunita, O. Meilawaty, and L. Liliana, “Pengaruh Pemanfaatan Abu Sekam Padi Dan Abu Terbang Pltu Buntoi Sebagai Semen Konvensional Terhadap Kuat Tekan,” *J. Kacapuri J. Keilmuan Tek. Sipil*, 2021, doi: 10.31602/jk.v4i1.5126.
- [45] Y. Yusuf, V. F. Savitri, and H. Aziz, “Pengaruh Penggunaan Fly Ash Dari Berbagai Sumber Terhadap Sifat Kimia Dan Sifat Fisika Pada Semen Tipe I (OPC),” *J. Ris. Kim.*, 2020, doi: 10.25077/jrk.v11i2.350.
- [46] S. Syahrul, “Kinerja Beton Mengandung Agregat Kasar Daur Ulang Limbah Bongkahan Beton,” *J. Ris. Rekayasa Sipil*, 2022, doi: 10.20961/jrrs.v6i1.63206.
- [47] L. Sulaiman and A. A. Fisul, “Pengaruh Campuran Air Laut Terhadap Kuat Tekan Beton Agregat Recycle,” *Rekayasa Sipil*, 2020, doi: 10.21776/ub.rekayasasipil.2020.014.01.5.
- [48] D. Diawarman, “Analisa Pengaruh Kuat Tekan Beton K.250 Dengan Menggunakan Air Asin (Air Laut) + Kapur Gamping Dan Air Tawar,” *J. Tek. Sipil*, 2019, doi: 10.36546/tekniksipil.v7i1.246.
- [49] S. A. Al-hasan and S. D. Hartantyo, “Pengaruh Limbah Pabrik Gula Molase Sebagai Bahan Tambah (Admixture) Kuat Tekan Beton K-175 Dengan Menggunakan Pasir Lokal Pasir Jombang,” *Ukarst*, 2020, doi: 10.30737/ukarst.v4i1.701.
- [50] H. C. Ozyildirim, M. Sharifi, and M. Hossain, “Mass Concrete Mixtures Optimized for Temperature Control and High Workability,” *Transp. Res. Rec. J. Transp. Res. Board*, 2023, doi: 10.1177/03611981221150400.

- [51] I. Susanto and N. Suaryana, "Evaluasi Kinerja Campuran Beraspal Lapis Aus (AC-WC) Dengan Bahan Tambah Limbah Plastik Kresek," *J. Apl. Tek. Sipil*, 2019, doi: 10.12962/j2579-891x.v17i2.4980.
- [52] P. N. Aini, R. Roestaman, and E. Walujodjati, "Pengaruh Penggunaan Serbuk Kayu Sebagai Bahan Substitusi Agregat Halus Dalam Campuran Beton Dengan Bahan Tambah Superplasticizer," *J. Konstr.*, 2021, doi: 10.33364/konstruksi/v.19-1.902.
- [53] M. A. Sultan, I. Imran, and muhammad faujan, "Pengaruh Rendaman Asam Terhadap Kuat Tekan Beton Dengan Penambahan Fly Ash," *Teras J.*, 2021, doi: 10.29103/tj.v11i1.367.
- [54] M. A. Sultan, I. Imran, and R. Sakti, "Subtitusi Parsial Agregat Halus Dengan Bottom Ash Pada Pembuatan Bata Semen," *Rekayasa Sipil*, 2019, doi: 10.21776/ub.rekayasasipil.2019.013.01.9.
- [55] S. Yuniarti, R. Rachman, and Alpius, "Studi Karakteristik Campuran AC-BC Berdasarkan Limbah Kantong Plastik Sebagai Bahan Tambah," *Paulus Civ. Eng. J.*, 2020, doi: 10.52722/pcej.v2i2.135.
- [56] H. Hermansyah, A. F. Isnani, and F. Yanti, "Karakteristik Marshall Pada Campuran Aspal HRS-WC Menggunakan Abu Sekam Padi," *J. Manaj. Teknol. Tek. Sipil*, 2022, doi: 10.30737/jurmateks.v5i1.2770.
- [57] M. Sofyan *et al.*, "Kinerja Pozzolan Glasspowder Pada Karakteristik Mekanis Dan Fisis Paving Blok Geopolimer," *Borneo Eng. J. Tek. Sipil*, 2023, doi: 10.35334/be.v1i1.3318.
- [58] "Kuat Tekan Dan Kuat Lekat Pasangan Bata Semen Pasir Apung," *Clapeyron J. Ilm. Tek. Sipil*, 2020, doi: 10.33387/clapeyron.v1i2.3181.

- [59] D. Junianti and C. Fibriani, "Analisis Resiko Aplikasi Sistem Informasi Pengelolaan Data Umat Menggunakan ISO 31000 (Studi Kasus: Gereja Katolik Santo Paulus Miki Salatiga)," *J. Comput. Inf. Syst. Ampera*, 2021, doi: 10.51519/journalcisa.v2i2.68.
- [60] S. Frapanti, R. Efrida, I. Dewi, S. Asfiati, and F. V. Riza, "Analisis Standar Mutu Batu Bata Merah Tradisional Di Deli Serdang Dengan Indikator SNI 15-2094-2000," *Teras J.*, 2023, doi: 10.29103/tj.v13i1.852.
- [61] M. Masthura, R. Sirait, and D. R. Waruwu, "Pengaruh Waktu Pembakaran Batu Bata Merah Campuran Abu Kulit Kakao Dengan Uji Sifat Mekanik Dan Morfologi," *Einstein E-Journal*, 2023, doi: 10.24114/einstein.v11i1.37582.
- [62] N. Rabbani, "Studi Pemanfaatan Limbah Batubara Pabrik Tekstil Pada Bata Beton," *J. Tek.*, 2022, doi: 10.37031/jt.v20i2.274.
- [63] D. Sarasanty and D. N. Zulfika, "Pendampingan Peningkatan Kualitas Batu Bata Dengan Limbah Sekam Padi Pada Kelompok Pengrajin Di Desa Domas Trowulan Mojokerto," *Wikrama Parahita J. Pengabd. Masy.*, 2021, doi: 10.30656/jpmwp.v5i2.3010.
- [64] S. Haniza, U. Jusi, and A. Saputra, "Analisis Karakteristik Beton Self Compacting Concrete Terhadap Penambahan Superplasticizer Master Gelenium ACE 8595," *J. Infrastruct. Civ. Eng.*, 2021, doi: 10.35583/jice.v1i1.7.
- [65] A. Zaki, T. Y. Pratama, C. A. Wibisono, and F. Saleh, "Pengaruh CKS Sebagai Pengganti Agregat Pada Kuat Tekan Beton," *J. Ris. Rekayasa Sipil*, 2023, doi: 10.20961/jrrs.v6i2.69039.

- [66] P. E. Panjaitan and L. Herlina, "Review Faktor - Faktor Yang Mempengaruhi Karakteristik Kuat Tekan Beton Geopolimer," *J. Rekayasa Konstr. Mek. Sipil*, 2020, doi: 10.54367/jrkms.v3i2.858.
- [67] Sukarman, E. Yanuarini, L. Tiyani, S. R. Salsabila, and V. Seren, "Pengaruh Substitusi Slag Nikel Dan Fly Ash Terhadap Kuat Tekan Beton Sebagai Pemecah Gelombang," *J. Ilm. Teknol. Infomasi Terap.*, 2022, doi: 10.33197/jitter.vol9.iss1.2022.952.
- [68] R. Yulismawati, M. Olivia, and E. Saputra, "Durabilitas Beton Sekat Kanal Terpapar Air Gambut Dan Air Laut," *J. Tek.*, 2021, doi: 10.31849/teknik.v15i2.7081.
- [69] D. H. Prayogo, A. Ridwan, and S. Winarto, "Pemanfaatan Limbah Gypsum Board Dan Batu Bata Merah Untuk Substitusi Semen Pada Pembuatan Beton," *J. Manaj. Teknol. Tek. Sipil*, 2019, doi: 10.30737/jurmateks.v2i2.542.
- [70] V. Minutolo, S. Di Ronza, C. Eramo, P. Ferla, S. Palladino, and R. Zona, "The Use of Destructive and Non-Destructive Testing in Concrete Strength Assessment for a School Building," *Int. J. Adv. Res. Eng. Technol.*, 2019, doi: 10.34218/ijaret.10.6.2019.028.
- [71] A. Yunanda, R. Imani, and R. Nasmirayanti, "Kuat Tekan Beton Dengan Substitusi Parsial Sisa Bubut Besi Sebagai Agregat Halus," *Constr. Mater. J.*, 2022, doi: 10.32722/cmj.v4i2.4710.