

DAFTAR PUSTAKA

- [1] K. Municipality and I. Figures, “Kota Kota Kediri Kediri Dalam Dalam Angka Angka,” 2022.
- [2] “No Title,” vol. 23, 2023.
- [3] P. Smart *et al.*, “No Title,” 2023.
- [4] A. S. Ilmananda, R. D. Marcus, and F. Y. Pamuji, “Pemanfaatan Infrastruktur Teknologi Informasi dan Komunikasi (TIK) dalam Pengembangan Smart City : Studi Kasus Pemerintah Kota Batu,” vol. 7, no. 1, pp. 253–268, 2022.
- [5] W. K. Asmoro, “Akuntabilitas dan Transparansi Pengelolaan Dana ‘ Prodamas ’ dalam Mewujudkan Good Government Governance di Tingkat Kelurahan Pemerintahan Kota Kediri,” vol. 3, pp. 270–277, 2019.
- [6] E. Di, K. Ponorogo, and P. Jawa, “Jurnal Impresi Indonesia (JII),” vol. 2, no. 1, pp. 16–22, 2023, doi: 10.58344/jii.v2i1.2051.
- [7] D. I. K. Besar and P. Sumatera, “SMART CITY , KONSEP KOTA CERDAS SEBAGAI ALTERNATIF PENYELESAIAN MASALAH PERKOTAAN KABUPATEN / KOTA ,” vol. 14, no. 2, 2019.
- [8] D. Wihardyanto, “Pembangunan Permukiman Kolonial Belanda di Jawa:,” vol. 6, 2019.
- [9] M. Anggraini, A. Saleh, P. Studi, T. Sipil, F. Teknik, and U. L. Kuning, “Peningkatan Kuat Dukung Tanah Lempung Dengan Penambahan Pasir,” vol. 2, no. 2, pp. 179–184, 2022.
- [10] E. Science, “Determination of Types and Characteristics of Laterite Soil as Basic Land for Building Construction Determination of Types and

- Characteristics of Laterite Soil as Basic Land for Building Construction”,
doi: 10.1088/1755-1315/930/1/012041.
- [11] K. Devi, A. Chhachhia, and A. Kumar, “Soil Improvement Using Waste Materials : A Review,” vol. 02, no. 01, pp. 11–17, 2021.
- [12] I. Chmielewska and W. Gosk, “Sustainable soil stabilization : the use of waste materials to improve the engineering properties of soft soils,” vol. 3, no. September, pp. 34–41, 2022.
- [13] G. Sua-iam and N. Makul, “Recycling prestressed concrete pile waste to produce green self-compacting concrete,” *J. Mater. Res. Technol.*, vol. 24, pp. 4587–4600, 2023, doi: 10.1016/j.jmrt.2023.04.101.
- [14] A. Zhou, H. Wei, H. Guo, W. Zhang, T. Liu, and D. Zou, “Resources , Conservation & Recycling Mechanical performance and environmental potential of concrete with engineering sediment waste for sustainable built environment,” *Resour. Conserv. Recycl.*, vol. 189, no. November 2022, p. 106742, 2023, doi: 10.1016/j.resconrec.2022.106742.
- [15] Q. Wiqoyah, A. B. Listyawan, and O. Kurnia, “PEMANFAATAN LIMBAH BETON UNTUK PERBAIKAN KUAT GESER,” pp. 58–66, 2021.
- [16] Q. Ma, Z. Hu, Z. Hu, and J. Li, “Strength characteristics and micro-scale mechanism of high liquid limit clay treated by recycled construction and demolition wastes (CDW) aggregates,” *Constr. Build. Mater.*, vol. 332, no. November 2021, p. 127367, 2022, doi: 10.1016/j.conbuildmat.2022.127367.
- [17] O. A. Abd-allah, S. H. A. Awn, and R. N. Zehawi, “Improvement of Soft Clay Soil Using Different Types of Additives Improvement of Soft Clay

- Soil Using Different Types of Additives,” 2021, doi: 10.1088/1755-1315/856/1/012010.
- [18] M. R. A. Simanjuntak, K. Lubis, and N. M. Rangkuti, “Stabilization of Clay Lands with Coastal Sand Mixes on CBR Value,” vol. 1, no. September, pp. 96–104, 2017.
- [19] T. Akhir *et al.*, “TERHADAP STABILITAS TANAH LEMPUNG (THE EFFECT OF ADDED CONCRETE WASTE ON THE STABILITY OF CLAY SOIL) TERHADAP STABILITAS TANAH LEMPUNG (THE EFFECT OF ADDED CONCRETE WASTE ON THE STABILITY OF CLAY SOIL),” 2023.
- [20] A. Dwi, “MENGUNAKAN USCS,” vol. 9, no. 3, pp. 392–399, 2022.
- [21] I. Kusumawardhana *et al.*, “No Title,” 2014.
- [22] S. Bryant, A. Jaya, and D. Ariyanto, “Uji Kuat Tekan Green Concrete Dari Pemanfaatan Limbah Beton Dan Abu Sekam Padi,” vol. 5, pp. 1–15.
- [23] D. Fahelis, “Pemanfaatan Limbah Beton Sebagai Bahan Stabilisasi Terhadap Penurunan Konsolidasi Tanah Lempung Kecamatan Sukodono Kabupaten Sragen,” 2017.
- [24] D. Panguriseng and U. M. Makassar, “Dasar-dasar Teknik Perbaikan Tanah Dasar-dasar Teknik Perbaikan Tanah | i,” no. January, 2018.
- [25] D. I. P. Kalimantan and W. P. Kuswanda, “PERBAIKAN TANAH LEMPUNG LUNAK METODA PRELOADING,” pp. 188–207, 2016.
- [26] B. M. Das, K. Sobhan, and K. Sobhan, “Principles of Geotechnical Engineering,” 2018.
- [27] M. A. Fadh, G. Aponno, and M. Sholeh, “Analisis Pengaruh Perkuatan Tanah Lempung Lunak Menggunakan Kolom Pasir Dengan Dan Tanpa

- Pembesaran,” vol. 1, no. September, pp. 50–56, 2020.
- [28] J. Mitra and T. Sipil, “STUDI PERBANDINGAN LIQUID LIMIT MENGGUNAKAN ALAT FALL CONE DAN,” vol. 2, no. 3, pp. 61–66, 2019.
- [29] U. Vol, “KOMBINASI ABU DAUN Fakultas Teknik Universitas Kadiri,” vol. 3, no. 2, pp. 103–112, 2019.
- [30] D. P. Prayitno, H. K. Artati, P. Studi, T. Sipil, and U. I. Indonesia, “Analisis Potensi Likuifaksi Berdasarkan Distribusi Ukuran Butir Tanah dan Data Cone Penetration Test (CPT),” vol. 27, no. 2, pp. 242–249, 2021.
- [31] B. C. O. Kelly, “Review of Recent Developments and Understanding of Atterberg Limits Determinations,” pp. 59–75, 2021.
- [32] D. Pengujian and K. Atterberg, “M i n e t e c h,” vol. 1, no. 2, pp. 104–109, 2022.
- [33] N. E. Verdiyanti *et al.*, “NILAI KOHESI TANAH PADA UJI DIRECT SHEAR TANAH,” pp. 1–5.
- [34] J. T. Sipil and F. Teknik, “PERUBAHAN KANDUNGAN AIR TERHADAP NILAI PENGEMBANGAN PADA TANAH DASAR JALAN PENAWANGAN-PURWODADI,” 2010.
- [35] N. M. Kouakou, O. Cuisinier, and F. Masrouri, “Estimation of the shear strength of coarse-grained soils with fine particles,” *Transp. Geotech.*, p. 100407, 2020, doi: 10.1016/j.trgeo.2020.100407.
- [36] D. Bansal, D. Parida, G. V Ramana, and M. Datta, “Suitability of Laboratory Compaction Procedure for Secondary Materials,” pp. 1–6, 2023, doi: 10.11159/icgre23.135.

- [37] P. Energi, P. Terhadap, and K. Geser, “Pengaruh energi pemadatan terhadap kuat geser tanah,” vol. 4, no. 2, pp. 262–266, 2021.
- [38] A. Zhafirah, “Karakteristik Tanah Kawasan Gedebage Kota Bandung Berdasarkan Hasil Uji Lapangan dan Laboratorium,” pp. 94–100.
- [39] B. L. Iverson and P. B. Dervan, *Soil Mechanics and foundation..*
- [40] J. Shamsi Sosahab, A. Ardakani, and M. Hassanlourad, “Resilient response and strength of highly expansive clay subgrade stabilized with recycled concrete aggregate and granulated blast furnace slag,” *Constr. Build. Mater.*, vol. 408, no. July, p. 133816, 2023, doi: 10.1016/j.conbuildmat.2023.133816.
- [41] A. Sharma and R. K. Sharma, “Strength and Drainage Characteristics of Poor Soils Stabilized with Construction Demolition Waste,” *Geotech. Geol. Eng.*, vol. 38, no. 5, pp. 4753–4760, 2020, doi: 10.1007/s10706-020-01324-3.
- [42] B. J. S. Varaprasad, J. J. Reddy, T. Rajesh, Y. Y. Kumar, and K. R. M. Reddy, “Soil improvement by fine fraction residue from recycling construction and demolition waste,” *Int. J. Sci. Technol. Res.*, vol. 8, no. 10, pp. 3389–3393, 2019.
- [43] S. P. Munoz Perez, T. M. Salazar Pretel, and L. I. Villena Zapata, “Mechanical properties of a soil improved with recycled demolition concrete for the construction of shallow foundations,” *Mater. Phys. Mech.*, vol. 51, no. 1, pp. 168–178, 2023, doi: 10.18149/MPM.5112023_14.