

DAFTAR PUSTAKA

- [1] A. H. Alani, N. M. Bunnori, A. T. Noaman, and T. A. Majid, “Durability performance of a novel ultra-high-performance PET green concrete (UHPPGC),” *Constr. Build. Mater.*, vol. 209, pp. 395–405, 2019, doi: 10.1016/j.conbuildmat.2019.03.088.
- [2] S. S. Ali *et al.*, “Degradation of conventional plastic wastes in the environment: A review on current status of knowledge and future perspectives of disposal,” *Sci. Total Environ.*, vol. 771, p. 144719, 2021, doi: 10.1016/j.scitotenv.2020.144719.
- [3] R. Geyer, J. R. Jambeck, and K. L. Law, “Production, use, and fate of all plastics ever made - Supplementary Information,” *Sci. Adv.*, vol. 3, no. 7, pp. 19–24, 2017, doi: 10.1126/sciadv.1700782.
- [4] S. N. Idris *et al.*, “The degradation of single-use plastics and commercially viable bioplastics in the environment: A review,” *Environ. Res.*, vol. 231, p. 115988, 2023, doi: <https://doi.org/10.1016/j.envres.2023.115988>.
- [5] K. G. Pugin, “Ensuring environmental safety when using polymer waste in technologies for obtaining building materials,” *J. Phys. Conf. Ser.*, vol. 1926, no. 1, 2021, doi: 10.1088/1742-6596/1926/1/012048.
- [6] S. Hani and . R., “Pengaruh Campuran Serat Pisang Terhadap Beton,” *Educ. Build.*, vol. 4, no. 1, pp. 40–45, 2018, doi: 10.24114/eb.v4i1.10043.
- [7] T. Akhir, “99511030 Widya Triani - 99511352 Andy Afriady R,” 2004.
- [8] Siti Fitriani, Wiki Muhamad Fathul M, and Ida Farida, “Penggunaan Limbah Cangkang Telur, Abu Sekam, dan Copper Slag Sebagai Material Tambahan Pengganti Semen,” *J. Konstr.*, vol. 15, no. 1, pp. 46–56, 2017, doi: 10.33364/konstruksi/v.15-1.583.
- [9] J. Thorneycroft, J. Orr, P. Savoikar, and R. J. Ball, “Performance of structural concrete with recycled plastic waste as a partial replacement for sand,” *Constr. Build. Mater.*, vol. 161, pp. 63–69, 2018, doi: 10.1016/j.conbuildmat.2017.11.127.
- [10] L. Baali, L. Belagraa, M. A. Chikouche, and L. Zeghichi, “Study of the Effect of Plastic Waste Fibers Incorporation on the Behavior of Self Compacting Concrete,” *Ann. Chim. Sci. des Mater.*, vol. 45, no. 5, pp. 417–

- 421, 2021, doi: 10.18280/acsm.450508.
- [11] B. C. Pu, B. Liu, L. Li, W. Pang, and Z. Wan, "Influence of polypropylene fibre factor on flowability and mechanical properties of self-compacting geopolymer," *Materials (Basel)*, vol. 14, no. 17, pp. 1–15, 2021, doi: 10.3390/ma14175025.
- [12] L. H. Chan, Z. A. Aziz, and M. A. Bin Ghazali, "The Performance of Lightweight Concrete with Recycled Polyethylene Terephthalate and Polypropylene as Demising Wall," *Environ. Clim. Technol.*, vol. 26, no. 1, pp. 1323–1336, 2022, doi: 10.2478/rtuct-2022-0100.
- [13] J. Ahmad *et al.*, "A step towards sustainable self-compacting concrete by using partial substitution of wheat straw ash and bentonite clay instead of cement," *Sustain.*, vol. 13, no. 2, pp. 1–17, 2021, doi: 10.3390/su13020824.
- [14] M. Gusti, V. A. Noorhidana, and L. Irianti, "Pengaruh Variasi Serat Polypropylene dan Faktor Air Semen Pada Uji Kuat Tekan, Kuat Tarik Belah dan Kuat Lentur Self Compacting Concrete (SCC)," *J. Rekayasa Sipil Dan Desain*, vol. 9, no. 1, pp. 105–118, 2021.
- [15] A. Ismaya, F. Venny Riza, and J. Hadipramana, "Sifat Beton Segar Dan Kuat Tekan Beton Padat Sendiri (SelfCompacting Concrete/Scc) Dengan Ban VulkanisirDan Serat Polypropylene," *Impr. J. Teknol. dan Inf.*, vol. 1, no. 3, pp. 60–64, 2022, [Online]. Available: https://scholar.google.ca/citations?view_op=view_citation&hl=en&user=fGeJZCUAAAJ&cstart=20&pagesize=80&citation_for_view=fGeJZCUAAAJ:Wp0gIr-vW9MC
- [16] H. J. H. Brouwers and H. J. Radix, "Self-compacting concrete: Theoretical and experimental study," *Cem. Concr. Res.*, vol. 35, no. 11, pp. 2116–2136, 2005, doi: 10.1016/j.cemconres.2005.06.002.
- [17] Y. R. Alkhaly, C. N. Panondang, and Z. Zulfahmi, "Kuat Tekan Beton Polimer Berbahan Abu Vulkanik Gunung Sinabung Dan Resin Epoksi," *Teras J.*, vol. 5, no. 2, pp. 125–132, 2021, doi: 10.29103/tj.v5i2.14.
- [18] G. Gelardi, S. Mantellato, D. Marchon, M. Palacios, A. B. Eberhardt, and R. J. Flatt, *Chemistry of chemical admixtures*. Elsevier Ltd, 2016. doi: 10.1016/B978-0-08-100693-1.00009-6.

- [19] E. Sutandar, “Pengaruh Pemeliharaan (Curing) Pada Kuat Tekan Beton Normal,” *Vokasi*, vol. IX, no. 2, pp. 89–99, 2013.
- [20] O. H. Hermawan, “Pengaruh Perawatan Pada Kuat Tekan Beton,” *Pengaruh Perawatan Pada Kuat Tekan Bet.*, vol. 16, no. 1, pp. 1–7, 2018, [Online]. Available: <http://e-journal.upstegal.ac.id/index.php/eng/article/view/1195/0>
- [21] T. Tisnawati, A. Firman, D. Kumalasari, and N. Rabbani, “Uji Karakteristik Pasir Padas Giling dan Pengaruhnya Terhadap Kuat Tekan Beton,” *J. Konstr.*, vol. 21, no. 1, pp. 69–76, 2023, doi: 10.33364/konstruksi/v.21-1.1279.
- [22] E. Bachtiar, “Karakteristik Self Compacting Concrete Tanpa Curing,” vol. 1, no. June, pp. 143–150, 2017.
- [23] K. Rusyandi, J. Mukodas, and Y. Gunawan, “Perancangan Beton Self Compacting Concrete (Beton Memadat Sendiri) Dengan Penambahan Fly Ash dan Structuro,” *J. Konstr.*, vol. 10, no. 01, pp. 1–11, 2012, doi: 10.33364/konstruksi/v.10-01.35.
- [24] A. M. Korua and B. D. H. Servie O. Dapas, “Kinerja High Strength Self Compacting Concrete Dengan Penambahan Admixture ‘Beton Mix’ Terhadap Kuat Tarik Belah,” *J. Sipil Statik*, vol. 7, no. 10, pp. 1353–1364, 2019.
- [25] A. O. Irlan, “Tinjauan Karakteristik Bahan Penyusun Beton Berpori dengan Penggunaan Flyash dan Superplasticizer untuk Perkerasan Jalan Ramah Lingkungan,” *Kilat*, vol. 9, no. 2, pp. 244–256, 2020, [Online]. Available: <https://stt-pln.e-journal.id/kilat/article/view/954>