

DAFTAR PUSTAKA

- [1] M. Sajjad *et al.*, “Evaluation of the Success of Industry 4.0 Digitalization Practices for Sustainable Construction Management: Chinese Construction Industry,” *Buildings*, vol. 13, no. 7, 2023, doi: 10.3390/buildings13071668.
- [2] B. Ubaidi dan D. Pratiwi, “Pengaruh waktu perjalanan beton ready mix terhadap uji slump test pada proyek lampung city,” *J. SENDI*, vol. 02, no. 01, hal. 30–37, 2020, [Daring]. Tersedia pada: <http://jim.teknokrat.ac.id/index.php/tekniksipilJurnalTeknikSipil>
- [3] W. I. Ervianto, “Pengelolaan Infrastruktur Berdasarkan Isu Berkelanjutan di Indonesia,” *Pros. Semin. Nas. Desain Dan Arsit.*, vol. 2, hal. 574–581, 2019, [Daring]. Tersedia pada: <https://eprosiding.idbbali.ac.id/index.php/senada/article/view/109>
- [4] O. H. Hermawan, “Pengaruh Perawatan Pada Kuat Tekan Beton,” *Pengaruh Perawatan Pada Kuat Tekan Bet.*, vol. 16, no. 1, hal. 1–7, 2018, [Daring]. Tersedia pada: <http://e-journal.upstegal.ac.id/index.php/eng/article/view/1195/0>
- [5] M. Imran, “MATERIAL KONSTRUKSI RAMAH LINGKUNGAN DENGAN PENERAPAN TEKNOLOGI TEPAT GUNA,” *Radial*, vol. 14, no. 2, hal. 373, 2019.
- [6] V. Nomor dan F. Beton, “Formulasi Beton yang Mengalir Sendiri di Laboratorium Fakultas Teknik Universitas Batanghari,” *J. Talent. sipil*, vol. 5, hal. 320–328, 2022, doi: 10.33087/talentsipil.v5i2.80.
- [7] A. K. Hadi, S. Supardi, M. Maruddin, A. A. A. Yusuf, dan R. H. Samsuddin,

- “Pengaruh Metode Self Compacting Concrete (Scc) Terhadap Sifat Mekanis Beton,” *PENA Tek. J. Ilm. Ilmu-Ilmu Tek.*, vol. 6, no. 1, hal. 32, 2021, doi: 10.51557/pt_jiit.v6i1.642.
- [8] P. D. Akmaluddin, ST., MSc.(Eng.), Ph.D., Ir. Suryawan Murtiadi, M.Eng., *Struktur Balok Beton*. Nusa Tenggara Barat: Mataram University, 2019.
- [9] Husnah dan R. Almagany, “Uji Eksperimental Penggunaan Zat Additif Mastersure 1007 Terhadap Workability Dan Waktu Ikat Beton,” *Sainstek (e-Journal)*, vol. 9, no. 1, hal. 41–46, 2021, doi: 10.35583/js.v9i1.136.
- [10] Y. Geng, Z. Wang, L. Shen, dan J. Zhao, “Calculating of CO₂ emission factors for Chinese cement production based on inorganic carbon and organic carbon,” *J. Clean. Prod.*, vol. 217, hal. 503–509, 2019, doi: 10.1016/j.jclepro.2019.01.224.
- [11] N. A. Razeman *et al.*, “A Review on The Compressive Strength and Workability of Concrete with Agricultural Waste Ash as Cement Replacement Material,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 1135, no. 1, hal. 0–19, 2023, doi: 10.1088/1755-1315/1135/1/012058.
- [12] C. D. Agor, E. M. Mbadike, dan G. U. Alaneme, “Evaluation of sisal fiber and aluminum waste concrete blend for sustainable construction using adaptive neuro-fuzzy inference system,” *Sci. Rep.*, vol. 13, no. 1, hal. 1–22, 2023, doi: 10.1038/s41598-023-30008-0.
- [13] A. M. Mhaya *et al.*, “Systematic Evaluation of Permeability of Concrete Incorporating Coconut Shell as Replacement of Fine Aggregate,” *Materials (Basel)*, vol. 15, no. 22, 2022, doi: 10.3390/ma15227944.

- [14] B. Santosa, A. Ginting, P. Adi, dan E. O. Manasye, “Pengaruh Penggantian Sebagian Semen dengan Abu Tempurung Kelapa terhadap Kinerja Beton,” *J. Tek. Sipil*, vol. 19, no. 2, hal. 278–292, 2023, doi: 10.28932/jts.v19i2.5286.
- [15] T. C. Herring, J. N. Thuo, dan T. Nyomboi, “Engineering and Durability Properties of Modified Coconut Shell Concrete,” *Civ. Eng. J.*, vol. 8, no. 2, hal. 362–381, 2022, doi: 10.28991/CEJ-2022-08-02-013.
- [16] N. Bheel, S. K. Mahro, dan A. Adesina, “Influence of coconut shell ash on workability, mechanical properties, and embodied carbon of concrete,” *Environ. Sci. Pollut. Res.*, vol. 28, no. 5, hal. 5682–5692, 2021, doi: 10.1007/s11356-020-10882-1.
- [17] E. E. Ikponmwosa, S. Ehikhuenmen, J. Emeshie, dan A. Adesina, “Performance of Coconut Shell Alkali-Activated Concrete: Experimental Investigation and Statistical Modelling,” *Silicon*, vol. 13, no. 2, hal. 335–340, 2021, doi: 10.1007/s12633-020-00435-z.
- [18] Jacky, D. Elnov, A. Debrinda Rama, R. Fernando, dan Rachmansyah, “Pengaruh Pecahan Tempurung Kelapa Sebagai Pengganti Agregat Kasar Dalam Campuran Beton Effect of Coconut Shell Fragments As Substitute for Coarse Aggregate in Concrete Mixture,” *J. Tek. dan Ilmu Komput.*, vol. 07, no. 26, hal. 157–166, 2018.
- [19] S. N. I. H. A. Nadzri *et al.*, “A comprehensive review of coconut shell powder composites: Preparation, processing, and characterization,” *J. Thermoplast. Compos. Mater.*, vol. 35, no. 12, hal. 2641–2664, 2022, doi: 10.1177/0892705720930808.

- [20] M. Ann Adajar, J. Galupino, C. Frianeza, J. Faye Aguilon, J. B. Sy, dan P. A. Tan, "Utilization of Coconut Shell Ash as a Substitute for Sand Into the Concrete Mix with the Addition of Sikament NN in Terms of Compressive Strength of Concrete," *Int. J. GEOMATE*, vol. 17, no. 70, hal. 183–190, 2020, doi: 10.21660/2020.70.9132.
- [21] S. K. Faisal, P. N. Mazenan, S. Shahidan, dan J. M. Irwan, "Review of coal bottom ash and coconut shell in the production of concrete," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 342, no. 1, 2018, doi: 10.1088/1757-899X/342/1/012032.
- [22] M. Mulyati dan Z. Arkis, "Pengaruh Metode Perawatan Beton Terhadap Kuat Tekan Beton Normal," *J. Tek. Sipil ITP*, vol. 7, no. 2, hal. 78–84, 2020, doi: 10.21063/jts.2020.v702.05.
- [23] A. M. Korua dan B. D. H. Servie O. Dapas, "Kinerja High Strength Self Compacting Concrete Dengan Penambahan Admixture 'Beton Mix' Terhadap Kuat Tarik Belah," *J. Sipil Statik*, vol. 7, no. 10, hal. 1353–1364, 2019.
- [24] T. Akhir *et al.*, "BETON BERTULANG (The Influence of Square Wiremesh to Flexural and Shear Reinforced Concrete Beams) BETON BERTULANG (The Influence of Square Wiremesh to Flexural and Shear Reinforced Concrete Beams)," 2021.
- [25] SNI 2847 Persyaratan Beton Struktural untuk Bangunan Gedung, "SNI 2847:2013 Persyaratan Beton Struktural untuk Bangunan Gedung," *Bsn*, hal. 265, 2013, [Daring]. Tersedia pada: www.bsn.go.id

- [26] SNI 03-2834-2000, “SNI 03-2834-2000: Tata cara pembuatan rencana campuran beton normal,” *Sni 03-2834-2000*, hal. 1–34, 2000.
- [27] I. P. Laintarawan, I. N. S. Widnyana, dan I. W. Artana, “Konstruksi Beton I,” hal. 109, 2009.
- [28] F. Yanto Hermansah dan A. Sihotang, “RekaRacana: Jurnal Teknik Sipil ©Jurusan Teknik Sipil Itenas | No Studi Mengenai Pengaruh Ukuran Maksimum Agregat Kasar pada Campuran Beton Memadat Mandiri (SCC),” *I /*, vol. 5, no. 1, hal. 62–73, 2019, [Daring]. Tersedia pada: <https://www.concretedecor.net>
- [29] S. Zhang, H. Ren, W. Zhou, Y. Yu, dan C. Chen, “Assessing air pollution abatement co-benefits of energy efficiency improvement in cement industry: A city level analysis,” *J. Clean. Prod.*, vol. 185, hal. 761–771, 2018, doi: 10.1016/j.jclepro.2018.02.293.
- [30] B. Demirel, “The effect of the using waste marble dust as fine sand on the mechanical properties of the concrete,” *Int. J. Phys. Sci.*, vol. 5, no. 9, hal. 1372–1380, 2010.
- [31] I. Prasetia dan M. F. Rizani, “Analysis of fly ash from PLTU Asam-Asam as a construction material in terms of its physical and mechanical properties,” *MATEC Web Conf.*, vol. 280, hal. 04013, 2019, doi: 10.1051/mateconf/201928004013.
- [32] M. M. A. Pratama, N. Nindyawati, P. Puspitasari, A. A. Permanasari, H. Prayuda, dan U. C. Sari, “Experimental Modelling of Segregation on Reinforced Concrete Beam Using a Graded Concrete Approach,” *J. Phys.*

- Conf. Ser.*, 2021, doi: 10.1088/1742-6596/1833/1/012023.
- [33] B. Khasanov, N. I. Vatin, T. Mirzaev, A. Suyunov, dan M. Radjabov, “Physicochemical Fundamentals of Modifying Concrete Mix and Concrete,” *Iop Conf. Ser. Mater. Sci. Eng.*, 2021, doi: 10.1088/1757-899x/1030/1/012022.
- [34] SNI 7656:2012, “Tata Cara Pemilihan Campuran untuk Beton Normal, Beton Berat dan Beton Massa,” *Badan Standarisasi Nas.*, hal. 52, 2012.
- [35] B. Bukhari, N. Nofriadi, dan Y. Yanziwar, “Pengaruh Komposisi Pasir Cetak Terhadap Mutu Cetakan Pasir Coran Aluminium,” *J. Tek. Mesin*, 2019, doi: 10.30630/jtm.12.2.227.
- [36] A. Amalia dan M. Riyadi, “Kualitas Beton SCC dengan Substitusi Agregat Halus Tailing Tambang Emas Daerah Pongkor,” *Media Komun. Tek. Sipil*, vol. 25, no. 1, hal. 59, 2019, doi: 10.14710/mkts.v25i1.18500.
- [37] S. M. Bigatti dan T. A. Cronan, *SNI 15-2049-2004*. 2004. doi: 10.1891/jnum.10.1.5.52550.
- [38] P. J. Ginting dan A. Soepardi, “PENENTUAN JUMLAH PRODUKSI OPTIMAL SEMEN TIPE I DAN SEMEN TMC DENGAN MENGGUNAKAN METODA LINEAR GOAL PROGRAMMING Universitas Prima Indonesia , Medan Universitas Pembangunan Nasional ‘ Veteran ’ Yogyakarta , Yogyakarta Email : yoghiell@yahoo.com,” vol. 6, no. 1, hal. 9–14, 2022.
- [39] W. Shanks, C. F. Dunant, M. P. Drewniok, R. C. Lupton, A. Serrenho, dan J. M. Allwood, “How much cement can we do without? Lessons from cement

material flows in the UK,” *Resour. Conserv. Recycl.*, vol. 141, no. October 2018, hal. 441–454, 2019, doi: 10.1016/j.resconrec.2018.11.002.

- [40] S. Widodo, “Optimalisasi Kuat Tekan Self-Compacting Concrete Dengan Cara Trial-Mix Komposisi Agregat Dan Filler Pada Campuran Adukan Beton,” *Penelit. Saintek*, hal. 1–16, 2004.
- [41] F. Rahmawaty *et al.*, “Optimalisasi Kuat Tekan Beton Menggunakan Fly Ash dan Superplasticizer,” *J. Civ. Eng. Vocat. Educ.*, vol. 10, no. 2, hal. 2622–6774, 2023, [Daring]. Tersedia pada: <http://ejournal.unp.ac.id/index.php/cived/index>
- [42] Badan Standardisasi Nasional, “Cara Uji Kuat Tekan Beton dengan Benda Uji Silinder,SNI 1974-2011,” *Badan Stand. Nas. Indones.*, hal. 20, 2011.