

DAFTAR PUSTAKA

- [1] R. W. Van Bemmelen, "The Geology of Indonesia. General Geology of Indonesia and Adjacent Archipelagoes," *Government Printing Office, The Hague*. pp. 1–766, 1949.
- [2] S. U. Dan and F. Achmad, "Kajian Pemanfaatan Sirtu Bumela Sebagai Material Lapis Pondasi Bawah," vol. 1, no. April, pp. 19–24, 2015.
- [3] Bina Marga, "Spesifikasi umum 2010," *Direktorat Jendral Bina Marga*, vol. 2010, no. Revisi 3, pp. 1–6, 2010.
- [4] F. Achmad and N. Sunardi, "Penggunaan Sirtu Malango sebagai Bahan Lapis Pondasi Bawah Ditinjau dari Spesifikasi Umum 2007 dan 2010," ... *Semin. Nas. Apl. Teknol. ...*, pp. 21–26, 2014.
- [5] F. Septiadi, "Perencanaan Campuran Subbase Coarse Jalan Menggunakan Tanah Gumuk Silo Dan Mayang," *Perenc. Campuran Subbase Coarse Jalan Menggunakan Tanah Gumuk Silo Dan Mayang*, 2015.
- [6] D. Zebua and K. Sinulingga, "Pengaruh Penambahan Abu Sekam Padi Sebagai Campuran Terhadap Kekuatan Batu Bata," *EINSTEIN e-JOURNAL*, vol. 6, no. 2, 2019, doi: 10.24114/einstein.v6i2.12076.
- [7] F. Supriani, M. Islam, and Y. Afrizal, "Sand type characteristics analysis and mapping in Bengkulu," 2019, doi: 10.1088/1755-1315/314/1/012058.
- [8] P. Yao, Z. Hu, M. Su, Y. Chen, and S. Ou, "Erosion Behavior of Sand-silt Mixtures: The Role of Silt Content," *J. Coast. Res.*, vol. 85, pp. 1171–1175, 2018, doi: 10.2112/SI85-235.1.
- [9] C. P. Sagar, M. Badiger, K. H. Mamatha, and S. V. Dinesh, "Prediction of CBR using dynamic cone penetrometer index," *Mater. Today Proc.*, no. xxxx, 2022, doi: 10.1016/j.matpr.2021.12.467.
- [10] M. K. Uddin, "A review on the adsorption of heavy metals by clay minerals, with special focus on the past decade," *Chemical Engineering Journal*, vol. 308. pp. 438–462, 2017, doi: 10.1016/j.cej.2016.09.029.
- [11] R. N. Hakim, "BATU SPLIT DAN CUTTING BOR UNTUK MATERIAL STEMMING DALAM KEGIATAN PEMBERAIAN BATUAN DENGAN PELEDAKAN," vol. 17, no. 2, pp. 263–272, 2016.

- [12] Badan Standardisasi Nasional, *SNI 6371:2015 Tata Cara Pengklasifikasian Tanah untuk Keperluan Teknik Dengan Sistem Klasifikasi Unified*. 2015.
- [13] SNI 03-1968, “Metode Pengujian Tentang Analisis Saringan Agregat Halus dan Kasar,” *Badan Standar Nas. Indones.*, pp. 1–5, 1990.
- [14] B. M. Das, “Mekanika Tanah (Prinsip-prinsip Rekayasa Geoteknik,” *Penerbit Erlangga*, pp. 1–300, 1995.
- [15] SNI 1970, “Cara Uji Berat Jenis dan Penyerapan Air Agregat Halus,” *Badan Standar Nas. Indones.*, pp. 7–18, 2008, [Online]. Available: <http://sni.litbang.pu.go.id/index.php?r=/sni/new/sni/detail/id/195>.
- [16] Departemen Pekerjaan Umum, “Cara Uji Keausan Agregat Dengan Mesin Abrasi Los Angeles, SNI 2417:2008,” *Standar Nas. Indones.*, 2008.
- [17] Meihizkia dkk, “Kuat Tekan Beton Menggunakan Agregat Halus Sungai Benlelang Dan Sungai Lembur Serta Agregat Kasar Sungai Lembur,” *J. Tek. Sipil*, vol. 7, no. 1, pp. 31–36, 2018.
- [18] Badan Standardisasi Nasional, “Cara uji penentuan batas cair tanah,” *Sni 19672008*, p. 25, 2008.
- [19] Standar Nasional Indonesia, “Sni 1966,” pp. 1–8, 2008.
- [20] K. Kayabali, “Evaluation of the two newly proposed methods for shrinkage limit,” *Electron. J. Geotech. Eng.*, vol. 18 O, no. January 2013, pp. 3047–3059, 2013.
- [21] Badan Standardisasi Nasional, “SNI 1743: Cara Uji Kepadatan Berat Untuk Tanah,” *Bsni*, p. 20, 2008.
- [22] SNI1744, “Metode uji CBR laboratorium,” *Standar Nas. Indones. Badan Standarisasi Nas.*, pp. 1–28, 2012.
- [23] Ş. Öncü and H. Bilsel, “Effect of zeolite utilization on volume change and strength properties of expansive soil as landfill barrier,” *Can. Geotech. J.*, vol. 54, no. 9, pp. 1320–1330, 2017, doi: 10.1139/cgj-2016-0483.
- [24] N. Tiwari, N. Satyam, and S. Kumar, “ScienceDirect An experimental study on micro-structural and geotechnical characteristics of expansive clay mixed with EPS granules,” *Soils Found.*, no. xxxx, 2020, doi: 10.1016/j.sandf.2020.03.012.
- [25] J. Tri Hatmoko and H. Suryadharma, “Parametric study on the behaviour of

bagasse ash-calcium carbide residue stabilized soil,” *MATEC Web Conf.*,
vol. 195, 2018, doi: 10.1051/mateconf/201819503015.