

DAFTAR PUSTAKA

- [1] N. A. Affandi and R. Hepiyanto, “Studi Evaluasi Tebal Perkerasan Kaku Pada Ruas Jalan Dradah – Kedungpring Menggunakan Metode Bina Marga 2002,” *UKaRsT*, vol. 2, no. 2, p. 7, 2018, doi: 10.30737/ukarst.v2i2.265.
- [2] P. R. Nahak, Y. C. S. P, and S. Winarto, “Malaka,” *Itinerario*, vol. 10, no. 3–4, p. 66, 1986, doi: 10.1017/S0165115300004575.
- [3] D. E. Nopriyanto *et al.*, “PERENCANAAN PERKERASAN KAKU (RIGID PAVEMENT) UNTUK PENINGKATAN JALAN LAKARSANTRI – BENOWO KOTA SURABAYA PERENCANAAN PERKERASAN KAKU (RIGID PAVEMENT) UNTUK PENINGKATAN JALAN LAKARSANTRI – BENOWO KOTA SURABAYA,” vol. 9, no. 2, pp. 91–102, 2021.
- [4] A. Badkul, R. Paswan, S. K. Singh, and J. P. Tegar, “A comprehensive study on the performance of alkali activated fly ash/GGBFS geopolymer concrete pavement,” *Road Mater. Pavement Des.*, no. May, 2021, doi: 10.1080/14680629.2021.1926311.
- [5] A. D. Vinna, N. B. Prihutomo, and E. Pramono, “Analisis Tebal Perkerasan Kaku Metode AASHTO 1993 dan Metode Bina Marga 2017 Serta Biaya Pelaksanaan (Studi Kasus Proyek Jalan Tol Cinere–Serpong Seksi 1),” *Semin. Nas. Tek. Sipil Politek. Negeri Jakarta*, pp. 496–506, 2019.
- [6] E. A. Latifa, C. A. Heryes, and N. B. Prihutomo, “Deterioration Analysis of Rigid Pavement using Roadroid based on PCI,” no. January, pp. 31–36, 2021, doi: 10.5220/0010510100310036.
- [7] P. B. Marga, “Desain perkerasan jalan kabupaten,” pp. 1–9.
- [8] K. Nisak and H. Saputra, “Perencanaan Tebal Perkerasan Kaku Dan Rencana Anggaran Biaya Pada Jalan Pangkalan Nyirih, Rupert,” *J. TeKLA*, vol. 1, no. 1, p. 19, 2019, doi: 10.35314/tekla.v1i1.1225.
- [9] M. F. Pradana, R. T. Bethary, and R. Rinaldiansyah, “Perencanaan Perkerasan Kaku Pada Jalan Akses Tol Cilegon Timur Dengan Menggunakan Metode Bina Marga 2003 Dan Aashto 1993 ...,” *Konstruksia*, vol. 1993, pp. 57–66, 2019, [Online]. Available: <https://jurnal.umj.ac.id/index.php/konstruksia/article/view/4697>.
- [10] F. Liu, Z. You, A. Diab, Z. Liu, C. Zhang, and S. Guo, “External sulfate attack on

- concrete under combined effects of flexural fatigue loading and drying-wetting cycles,” *Constr. Build. Mater.*, vol. 249, p. 118224, 2020, doi: 10.1016/j.conbuildmat.2020.118224.
- [11] A. Almufid, “PERBANDINGAN PERENCANAAN TEBAL PERKERASAN KAKU DENGAN MENGGUNAKAN METODE BINA MARGA 04/SE/Db/2017 DAN METODE AASHTO 1993,” *J. Tek.*, vol. 9, no. 2, pp. 34–43, 2020, doi: 10.31000/jt.v9i2.3076.
- [12] C. Maduabuchukwu Nwakaire, S. Poh Yap, C. Chuen Onn, C. Wah Yuen, and H. Adebayo Ibrahim, “Utilisation of recycled concrete aggregates for sustainable highway pavement applications; a review,” *Constr. Build. Mater.*, vol. 235, p. 117444, 2020, doi: 10.1016/j.conbuildmat.2019.117444.
- [13] S. Sudarno, L. Fadhilah, A. Afif, S. Nurobingatun, H. Hariyadi, and A. Mufid, “Analisis Tebal Perkerasan Jalan Raya Magelang-Purworejo Km 8 Sampai Km 9 Menggunakan Metode Bina Marga 1987,” *Rev. Civ. Eng.*, vol. 2, no. 1, pp. 41–46, 2018, doi: 10.31002/rice.v2i1.689.
- [14] D. A. Hopwood, “KEUNTUNGAN DAN KERUGIAN FLEXIBLE PAVEMENT DAN RIGID PAVEMENT Oleh : Dwi Sri Wiyanti,” vol. 12, no. 2, pp. 12–18, 2011.
- [15] A. Maharani and S. B. Wasono, “Perbandingan Perkerasan Kaku Dan Perkerasan Lentur” (Studi Kasus Ruas Jalan Raya Pantai Prigi – Popoh Kab. Tulungagung),” *Ge-STRAM J. Perenc. dan Rekayasa Sipil*, vol. 1, no. 2, pp. 89–94, 2018, doi: 10.25139/jprs.v1i2.1202.
- [16] M. D. P. Ruas, J. Batas, P. T. Sipil, F. Teknik, and U. Jayabaya, “METODE PCA , BINA MARGA 2002 , AASHTO 1993 , DAN HARU,” vol. 19, no. 2, 2017.
- [17] A. H. Farhan, A. R. Dawson, and N. H. Thom, “Compressive behaviour of rubberized cement-stabilized aggregate mixtures,” *Constr. Build. Mater.*, vol. 262, p. 120038, 2020, doi: 10.1016/j.conbuildmat.2020.120038.
- [18] S. Lv *et al.*, “Stress path investigation of fatigue characteristics of cement stabilized macadam,” *Constr. Build. Mater.*, vol. 292, p. 123446, 2021, doi: 10.1016/j.conbuildmat.2021.123446.
- [19] R. Kabir and J. E. Hiller, “Numerical analyses of rigid and flexible pavements responses under heavy vehicles’ loading,” *Road Mater. Pavement Des.*, vol. 22, no. 2, pp. 333–356, 2021, doi: 10.1080/14680629.2019.1621189.

- [20] M. J. Al-Kheetan, M. M. Rahman, and D. A. Chamberlain, "Moisture evaluation of concrete pavement treated with hydrophobic surface impregnants," *Int. J. Pavement Eng.*, vol. 21, no. 14, pp. 1746–1754, 2020, doi: 10.1080/10298436.2019.1567917.
- [21] A. Pandey and B. Kumar, "A comprehensive investigation on application of microsilica and rice straw ash in rigid pavement," *Constr. Build. Mater.*, vol. 252, p. 119053, 2020, doi: 10.1016/j.conbuildmat.2020.119053.
- [22] Z. Zhang, J. Yang, Y. Fang, and Y. Luo, "Design and performance of waterborne epoxy-SBR asphalt emulsion (WESE) slurry seal as under-seal coat in rigid pavement," *Constr. Build. Mater.*, vol. 270, no. xxxx, p. 121467, 2021, doi: 10.1016/j.conbuildmat.2020.121467.
- [23] S. Bressi, M. Primavera, and J. Santos, "A comparative life cycle assessment study with uncertainty analysis of cement treated base (CTB) pavement layers containing recycled asphalt pavement (RAP) materials," *Resour. Conserv. Recycl.*, vol. 180, 2022, doi: 10.1016/j.resconrec.2022.106160.
- [24] S. Tayabji, D. Ye, and N. Buch, "Precast concrete pavements: Technology overview and technical considerations," *PCI J.*, vol. 58, no. 1, pp. 112–128, 2013, doi: 10.15554/pcij.01012013.112.128.
- [25] [Kementerian PUPR]. Kementerian Pekerjaan Umum dan Perumahan Rakyat, "Perencanaan Perkerasan Jalan Beton Semen," p. 52, 2003.
- [26] F. Fatkhusani, "Perbandingan Efisiensi Harga Perkerasan Lentur Dan Kaku Dengan Metode Bina Marga," *Pros. Semnastek*, pp. 1–8, 2018, [Online]. Available: <https://jurnal.umj.ac.id/index.php/semnastek/article/view/3552>.
- [27] H. Hariyanto, S. Setyaningsih, and B. Bambang, "ANALISIS PERBANDINGAN PERENCANAAN TEBAL PERKERASAN KAKU DENGAN METODE BINA MARGA 2003 DAN METODE AASHTO 1993 (Studi Kasus : Jalan Raya Blora Cepu, KM 21+000-KM 22+400 Kabupaten Blora Jawa Tengah)," *J. Ilm. Teknosains*, vol. 7, no. 2/Nov, pp. 1–12, 2021, doi: 10.26877/jitek.v7i2/nov.9828.
- [28] R. Ardiansyah and T. Sudibyoy, "Analisis Perencanaan Tebal Perkerasan Kaku Lajur Pengganti pada Proyek Pembangunan Jalan Tol Jakarta-Cikampek II Elevated," *J. Tek. Sipil dan Lingkungan.*, vol. 5, no. 1, pp. 17–30, 2020, doi: 10.29244/jsil.5.1.17-30.
- [29] H. Sutanto, "Perencanaan Jalan Denganperkerasan Kaku (Rigid Pavement) Pada Jalan

Rawa Indah Kota Sangatta Provinsi Kalimantan Timur,” *Teknol. Sipil*, vol. 2, no. November, 2019, [Online]. Available: <http://e-journals.unmul.ac.id/index.php/TS/article/view/2185>.

- [30] A. Ridwan and F. Romadhon, “Analisis Perencanaan Perkerasan Kaku (Rigid Pavement) Jalan Plosoklaten - Gedangsewu Kabupaten Kediri,” *J. Apl. Pelayaran dan Kepelabuhanan*, vol. 9, no. 2, p. 153, 2019, doi: 10.30649/jurapk.v9i2.62.
- [31] sutrisno wicaksono Sim, “Diagonal Sirip Luar Sebagai Model Jalan Beton Di Oleh : Sutrisno Wicaksono Sim,” 2013.
- [32] P. Pramono, “Analisa Kerusakan Perkerasan Jalan Menurut Metode Bina Marga Dan Pci (Pavement Condition Index),” pp. 1–15, 1990.
- [33] D. Metode and B. Marga, “PERBANDINGAN SKALA P R IORITAS PENANGANAN JALAN Berdasarkan database jalan Kabupaten Bengkayang tahun 2012 terdapat kurang sangat kecil . Dengan keterbatasan jalan dengan pendekatan suatu analisis yang dapat mengintegrasikan berbagai kriteria . Selama ini,” 2012.
- [34] E. Firgiansyah, P. Prihantono, and D. Daryati, “Comparative Study of Rigid Pavement Planning Using Bina Marga 2017 and Aashto 1993 Methods,” *J. PenSipil*, vol. 11, no. 1, pp. 78–91, 2022, doi: 10.21009/jpensil.v11i1.24199.
- [35] S. Syahril, A. Suyono, and I. R. Prajudi, “Reinforcement of Soft Soil on Slope Using Volcanic Ash and Phosphoric Acid Stabilization for Subgrade of Rigid Pavement,” vol. 198, no. Issat, pp. 462–466, 2020, doi: 10.2991/aer.k.201221.076.
- [36] J. C. Pais, S. I. R. Amorim, and M. J. C. Minhoto, “Impact of traffic overload on road pavement performance,” *J. Transp. Eng.*, vol. 139, no. 9, pp. 873–879, 2013, doi: 10.1061/(ASCE)TE.1943-5436.0000571.
- [37] A. Suryadi and B. H. Susilo, “Komputerisasi Penentuan Tebal Perkerasan Kaku dengan Metode AASHTO 1993,” *J. Tek. Sipil*, vol. 13, no. 1, pp. 1–20, 2019, doi: 10.28932/jts.v13i1.1425.
- [38] D. S. Nababan, C. Utary, and Z. D. M. Murdin, “Analisis Perencanaan Ulang Perkerasan Kaku Dengan Metode Manual Desain Perkerasan (MDP 2017),” *Musamus J. Civ. Eng.*, vol. 1, no. Mdp 2017, 2021.
- [39] A. Badrujaman, “Perencanaan Geometrik Jalan Dan Anggaran Biaya Ruas Jalan Cempaka – Wanaraja Kecamatan Garut Kota,” *J. Konstr.*, vol. 14, no. 1, pp. 25–34, 2016,

doi: 10.33364/konstruksi/v.14-1.384.

- [40] I. Kirom, “Perencanaan Jalan Soekarno Hatta Pasuruan Dengan Sistem Perkerasan Kaku (Rigid Pavement) Dan Rencana Anggaran Biaya,” *Axial J. Rekayasa Dan Manaj. Konstr.*, vol. 8, no. 1, pp. 69–78, 2020.