

## DAFTAR PUSTAKA

- [1] A. Behnood and E. M. Golafshani, “Predicting the compressive strength of silica fume concrete using hybrid artificial neural network with multi-objective grey wolves,” *J. Clean. Prod.*, vol. 202, pp. 54–64, 2018, doi: 10.1016/j.jclepro.2018.08.065.
- [2] W. H. Mahendra, Y. I. Gardjito. E, Ridwan. A, “Meningkatkan Kuat Tekan Beton Fc’ 16,60 Mpa Menggunakan Fly Ash Dan Arang Batok Kelapa,” *J. Manaj. Teknol. Tek. Sipil*, vol. 4, pp. 1–13, 2021, doi: 10.1016/j.conbuildmat.2020.121.
- [3] C. S. Mecha, T. Mulyono, and P. Prihantono, “Pengaruh Penambahan Superplasticizer Dan Abu Batu Sebagai Filler Untuk Meningkatkan Kuat Tekan Beton Normal,” *Menara J. Tek. Sipil*, vol. 13, no. 1, pp. 10–17, 2018, doi: 10.21009/jmenara.v13i1.18919.
- [4] M. B. Silva, “Percepção da população assistida sobre a inserção de estudantes de medicina na Unidade Básica de Saúde,” *Trab. conclusão curso*, vol. 1, no. 9, pp. 1–10, 2016, doi: 10.1017/CBO9781107415324.004.
- [5] T. Rosdiyani and Syahri, “Kuat Tekan Beton Fc’19 Mpa Menggunakan Campuran Styrofoam,” *Jurmateks*, vol. 4, no. 1, pp. 59–73, 2021, [Online]. Available: <http://dx.doi.org/10.30737/jurmateks>.
- [6] Y. Hefni, Y. A. El Zaher, and M. A. Wahab, “Influence of activation of fly ash on the mechanical properties of concrete,” *Constr. Build. Mater.*, vol. 172, pp. 728–734, 2018, doi: 10.1016/j.conbuildmat.2018.04.021.
- [7] M. Khan and M. Ali, “Improvement in concrete behavior with fly ash, silica-fume and coconut fibres,” *Constr. Build. Mater.*, vol. 203, pp. 174–

- 187, 2019, doi: 10.1016/j.conbuildmat.2019.01.103.
- [8] M. Setiawati, “Fly Ash Sebagai Bahan Pengganti Semen Pada Beton,” *Semin. Nas. Sains dan Teknol.*, vol. 17, pp. 1–8, 2018, [Online]. Available: <https://jurnal.umj.ac.id/index.php/semnastek/article/view/3556>.
- [9] M. A. Sultan, I. Imran, and M. Faujan, “PENGARUH PENAMBAHAN LIMBAH PEMBAKARAN BATUBARA (FLY ASH) Ex PLTU RUM PADA CAMPURAN BETON,” *Teras J.*, vol. 9, no. 2, p. 83, 2019, doi: 10.29103/tj.v9i2.186.
- [10] G. L. Golewski, “Green concrete composite incorporating fly ash with high strength and fracture toughness,” *J. Clean. Prod.*, vol. 172, pp. 218–226, 2018, doi: 10.1016/j.jclepro.2017.10.065.
- [11] D. & Firmansyah, “Pengaruh Penambahan Superplasticizer Pada Beton Dengan Limbah Tembaga (Copper Slag) Terhadap Kuat Tekan Beton Sesuai Umurnya,” *Rekayasa Tek. Sipil*, vol. 2, no. 2/REKAT/18, 2018.
- [12] K. F. Jayanegara, T. P. Artiningsih, and P. Wiranto, “Pengaruh Kuat Tekan Beton Menggunakan Fly Ash dengan Bahan Tambah Superplasticizer,” pp. 1–6, 2020.
- [13] J. Fropil *et al.*, “Pemanfaatan Fly Ash Pada Kuat Tekan Beton K300,” *J. Fropil*, vol. 5, no. 1, pp. 25–33, 2017.
- [14] D. Wang, X. Zhou, Y. Meng, and Z. Chen, “Durability of concrete containing fly ash and silica fume against combined freezing-thawing and sulfate attack,” *Constr. Build. Mater.*, vol. 147, pp. 398–406, 2017, doi: 10.1016/j.conbuildmat.2017.04.172.
- [15] N. R. Dewi, D. Dermawan, and M. L. Ashari, “Studi Pemanfaatan Limbah

- B3 Karbit Dan Fly Ash Sebagai Bahan Campuran Beton Siap Pakai (Bsp) (Studi Kasus : Pt. Varia Usaha Beton),” *J. Presipitasi Media Komun. dan Pengemb. Tek. Lingkung.*, vol. 13, no. 1, p. 34, 2016, doi: 10.14710/presipitasi.v13i1.34-43.
- [16] P. Duan, C. Yan, and W. Zhou, “Compressive strength and microstructure of fly ash based geopolymer blended with silica fume under thermal cycle,” *Cem. Concr. Compos.*, vol. 78, pp. 108–119, 2017, doi: 10.1016/j.cemconcomp.2017.01.009.
- [17] S. Semen, O. Febrianita, A. Ridwan, and Y. C. S. Poernomo, “JURMATEKS Penelitian Beton dengan Penambahan Abu Sekam Padi dan Limbah,” vol. 3, 2020.
- [18] M. Vricilia, A. Ridwan, and A. I. Candra, “Kuat Tekan Pelat Beton Menggunakan Pasir Wlingi dan Wiremesh Diameter 4 mm,” *J. Manaj. Teknol. Tek. Sipil*, vol. 3, no. 2, p. 219, 2020, doi: 10.30737/jurmateks.v3i2.1099.
- [19] K. Press, “Pengaruh Pematatan Campuran Beton Terhadap Kuat Tekan K 175 Effect of Compacting Concrete Combination Against Strong Press K 175,” vol. 1, no. 1, pp. 37–53, 2017.
- [20] Kusdiyono, Supriyadi, and H. L. Wahyono, “Pengaruh Penambahan Fly Ash dan Bottom Ashpada Pembuatan Beton Mutu F’c 20 Mpa dalam Upaya Pemanfaatan Limbah Industri,” *Wahana Tek. SIPIL*, vol. 22, no. 1, pp. 40–49, 2017.
- [21] J. A. Correa-Yepes, N. Rojas-Reyes, and J. I. Tobón, “Effect of fly ash and silica fume on rheology, compressive strength and self-compacting in

- cement mixtures,” *DYNA*, vol. 85, no. 206, pp. 59–68, 2018, doi: 10.15446/dyna.v85n206.68960.
- [22] A. Mehta and R. Siddique, “Properties of low-calcium fly ash based geopolymer concrete incorporating OPC as partial replacement of fly ash,” *Constr. Build. Mater.*, vol. 150, pp. 792–807, 2017, doi: 10.1016/j.conbuildmat.2017.06.067.
- [23] W. Feng, Y. Tang, Y. Zhang, C. Qi, L. Ma, and L. Li, “Partially fly ash and nano-silica incorporated recycled coarse aggregate based concrete: Constitutive model and enhancement mechanism,” *J. Mater. Res. Technol.*, vol. 17, pp. 192–210, 2022, doi: 10.1016/j.jmrt.2021.12.135.
- [24] R. Utami, B. Herbudiman, and R. R. Irawan, “Efek Tipe Superplasticizer terhadap Sifat Beton Segar dan Beton Keras pada Beton Geopolimer Berbasis Fly Ash | Utami | RekaRacana: Jurnal Teknil Sipil,” *RekaRacana J. Tek. Sipil*, vol. 3, no. 1, pp. 59–70, 2017, [Online]. Available: <https://ejournal.itenas.ac.id/index.php/rekaracana/article/view/1183/1393>.
- [25] P. P. Li, Q. L. Yu, and H. J. H. Brouwers, “Effect of PCE-type superplasticizer on early-age behaviour of ultra-high performance concrete (UHPC),” *Constr. Build. Mater.*, vol. 153, pp. 740–750, 2017, doi: 10.1016/j.conbuildmat.2017.07.145.
- [26] S. M. Laskar and S. Talukdar, “Preparation and tests for workability, compressive and bond strength of ultra-fine slag based geopolymer as concrete repairing agent,” *Constr. Build. Mater.*, vol. 154, pp. 176–190, 2017, doi: 10.1016/j.conbuildmat.2017.07.187.
- [27] M. Bravo, J. de Brito, L. Evangelista, and J. Pacheco, “Superplasticizer’s

- efficiency on the mechanical properties of recycled aggregates concrete: Influence of recycled aggregates composition and incorporation ratio,” *Constr. Build. Mater.*, vol. 153, pp. 129–138, 2017, doi: 10.1016/j.conbuildmat.2017.07.103.
- [28] O. A. Mohamed and O. F. Najm, “Compressive strength and stability of sustainable self-consolidating concrete containing fly ash, silica fume, and GGBS,” *Front. Struct. Civ. Eng.*, vol. 11, no. 4, pp. 406–411, 2017, doi: 10.1007/s11709-016-0350-1.
- [29] O. H. Hermawan, “Pengaruh Perawatan Terhadap Kuat Tekan Beton,” *Engineering*, vol. 9, no. 1, pp. 1–7, 2018.
- [30] P. Studi, T. Sipil, F. Teknik, and U. B. Darma, “Pengaruh Penambahan Superplasticizer Untuk Kuat Tekan Pada Beton Normal K350 Menggunakan Semen Pcc,” pp. 240–250, 2019.
- [31] B. Catur Marina and D. Ahmad Pujiyanto, “Pengaruh Fly Ash Terhadap Kuat Tekan dan Porositas Beton Berpori,” *J. Sainis*, vol. 20, no. 02, pp. 110–118, 2020, doi: 10.25299/sainis.2020.vol20(02).5622.
- [32] S. Apriwelni and N. Bintang Wirawan, “Kuat Tekan Beton Mutu Tinggi dengan Memanfaatkan Fly Ash dan Bubuk Kaca Sebagai Bahan Pengisi,” *J. Sainis*, vol. 20, no. 01, pp. 61–68, 2020, doi: 10.25299/sainis.2020.vol20(01).4846.