

## DAFTAR PUSTAKA

- [1] T. R. Naik and F. Asce, “Sustainability of Concrete Construction”, doi: 10.1061/ASCE1084-0680200813:298.
- [2] N. NGUDIYONO, N. N. KENCANAWATI, and R. PRAKARSA, “Pemanfaatan Fly Ash sebagai Bahan Substitusi Parsial Semen pada Beton Memadat Sendiri,” *J. Teknol. Lingkungan*, vol. 23, no. 1, pp. 055–061, 2022, doi: 10.29122/jtl.v23i1.5130.
- [3] W. Wis, “Beton samozag ‘ szczalny ( SCC ) na budowie,” pp. 40–41, 2002.
- [4] H. Oka, “SCC – be-ton sa-mo-za-gęsz-czal-ny -,” pp. 40–42, 2002.
- [5] H. Pratikto, “Penelitian Kuat Uji Tekan Beton Dengan Memanfaatkan Limbah Beton Yang Tidak Terpakai,” *UKaRsT*, vol. 1, no. 2, p. 21, 2017, doi: 10.30737/ukarst.v1i2.411.
- [6] dan T. S. Moses Hasiholan Septian Tampubolon1, “REKAYASA EKSPERIMEN BETON DENGAN PENAMBAHAN ADITIF MASTERSURE 1007 UNTUK MENDAPATKAN BETON SLUMP FLOW YANG STABIL PADA BETON DENGAN MUTU TUGAS AKHIR Diajukan untuk melengkapi syarat penyelesaian Pendidikan Sarjana Teknik Sipil,” *Dep. Tek. Sipil, Univ. Sumatera Utara, Jl.Perpustakaan No.,1 Kampus USU Medan*, 2018.
- [7] D. T. Sipil, U. S. Utara, J. P. No, and K. U. S. U. Medan, “REKAYASA EKSPERIMEN BETON DENGAN PENAMBAHAN ADITIF MASTERSURE 1007 UNTUK MENDAPATKAN BETON SLUMP FLOW YANG STABIL PADA BETON DENGAN MUTU AWAL TINGGI”.
- [8] A. M. Korua, S. O. Dapas, and B. D. Handono, “KINERJA HIGH STRENGTH SELF COMPACTING CONCRETE DENGAN PENAMBAHAN ADMIXTURE ‘

BETON MIX ' TERHADAP KUAT TARIK BELAH," vol. 7, no. 10, 2019.

[9] D. Waktu and I. Beton, "Uji Eksperimental Penggunaan Zat Additif Mastersure 1007 Terhadap Workability," vol. 01, 2021.

[10] A. Rasheed, M. Usman, H. Farooq, and A. Hanif, "Effect of Super-plasticizer Dosages on Fresh State Properties and Early-Age Strength of Concrete," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 431, no. 6, 2018, doi: 10.1088/1757-899X/431/6/062010.

[11] A. P. Svintsov, E. L. Shchesnyak, V. V. Galishnikova, R. S. Fediuk, and N. A. Stashevskaya, "Effect of nano-modified additives on properties of concrete mixtures during winter season," *Constr. Build. Mater.*, vol. 237, p. 117527, 2020, doi: 10.1016/j.conbuildmat.2019.117527.

[12] H. E. Opara, U. G. Eziefula, and C. C. Ugwuegbu, "Experimental study of concrete using recycled coarse aggregate," *Int. J. Mater. Struct. Integr.*, vol. 10, no. 4, pp. 123–132, 2017, doi: 10.1504/IJMSI.2016.082119.

[13] L. N. Koutas, Z. Tetta, D. A. Bournas, and T. C. Triantafillou, "Strengthening of Concrete Structures with Textile Reinforced Mortars: State-of-the-Art Review," *J. Compos. Constr.*, vol. 23, no. 1, p. 03118001, Feb. 2019, doi: 10.1061/(asce)cc.1943-5614.0000882.

[14] P. Polaczyk, Y. Ma, R. Xiao, W. Hu, X. Jiang, and B. Huang, "Characterization of aggregate interlocking in hot mix asphalt by mechanistic performance tests," 2021, doi: 10.1080/14680629.2021.1908408.

[15] T. Chen and X. Gao, "Effect of carbonation curing regime on strength and microstructure of Portland cement paste," *J. CO2 Util.*, vol. 34, no. April, pp. 74–86, 2019, doi: 10.1016/j.jcou.2019.05.034.

[16] H. Hamdani, N. Nyoman Kencanawati, P. Profys Bangun Persada, and J. Mandalika Kuta Kab Lombok Tengah, "Application of SCC Concrete (Self

Compacting Concrete) on Beam-Column Connection under Vertical Loading,” *Spektrum Sipil*, vol. 5, no. 1, pp. 58–69, 2018.

[17] G. Dimitriou, P. Savva, and M. F. Petrou, “Enhancing mechanical and durability properties of recycled aggregate concrete,” *Constr. Build. Mater.*, vol. 158, pp. 228–235, 2018, doi: 10.1016/j.conbuildmat.2017.09.137.

[18] M. T. Souza, I. M. Ferreira, E. Guzi de Moraes, L. Senff, and A. P. Novaes de Oliveira, “3D printed concrete for large-scale buildings: An overview of rheology, printing parameters, chemical admixtures, reinforcements, and economic and environmental prospects,” *J. Build. Eng.*, vol. 32, no. September, 2020, doi: 10.1016/j.jobbe.2020.101833.

[19] R. H. Faraj, H. F. Hama Ali, A. F. H. Sherwani, B. R. Hassan, and H. Karim, “Use of recycled plastic in self-compacting concrete: A comprehensive review on fresh and mechanical properties,” *J. Build. Eng.*, vol. 30, p. 101283, 2020, doi: 10.1016/j.jobbe.2020.101283.

[20] D. Pedro, J. de Brito, and L. Evangelista, “Structural concrete with simultaneous incorporation of fine and coarse recycled concrete aggregates: Mechanical, durability and long-term properties,” *Constr. Build. Mater.*, vol. 154, pp. 294–309, 2017, doi: 10.1016/j.conbuildmat.2017.07.215.

[21] B. S. N. Indonesia, “SNI 03-2834-1993 TATA CARA PEMBUATAN RENCANA CAMPURAN BETON NORMAL,” 1994.

[22] ASTM C117-13, “ASTM C117-13 Standard Test Method for Materials Finer than 75- $\mu$ m (No . 200) Sieve in Mineral Aggregates by Washing,” *ASTM Int.*, no. 200, pp. 1–3, 2013, doi: 10.1520/C0117-13.2.

[23] X. Li, Z. Zhou, X. Deng, and Z. You, “Flame Resistance of Asphalt Mixtures with Flame Retardants through a Comprehensive Testing Program,” *J. Mater. Civ.*

*Eng.*, vol. 29, no. 4, pp. 1–9, 2017, doi: 10.1061/(asce)mt.1943-5533.0001788.

[24] D. Nieto, E. Dapena, P. Alaejos, J. Olmedo, and D. Pérez, “Properties of Self-Compacting Concrete Prepared with Coarse Recycled Concrete Aggregates and Different Water:Cement Ratios,” *J. Mater. Civ. Eng.*, vol. 31, no. 2, p. 04018376, 2019, doi: 10.1061/(asce)mt.1943-5533.0002566.

[25] M. Agustina Morib, A. Juang Laowo, and R. Mey Jonathan Hulu, “Kuat Tekan Dan Kuat Tarik Belah Beton Mutu Tinggi Umur 3 Hari Menggunakan Material Hasil Pembakaran Sebagai Pengganti Sebagian Semen,” *Pros. CEEDRiMS2021*, pp. 33–40, 2021.

[26] S. N. Indonesia and B. S. Nasional, “SNI 03-2417-1991 abrasi agregat.pdf.” 1991.

[27] Badan Standardisasi Nasional, “SNI 2493-2011: Tata Cara Pembuatan dan Perawatan Benda Uji Beton di Laboratorium,” *Badan Standar Nas. Indones.*, p. 23, 2011.

[28] SNI-1972, “Cara Uji Slump Beton,” 2008.

[29] D. Marchon, S. Kawashima, H. Bessaies-Bey, S. Mantellato, and S. Ng, “Hydration and rheology control of concrete for digital fabrication: Potential admixtures and cement chemistry,” *Cem. Concr. Res.*, vol. 112, no. December 2017, pp. 96–110, 2018, doi: 10.1016/j.cemconres.2018.05.014.

[30] D. P. A. K. R. B. Herath, “Estimation of rheological properties of self-compacting concrete using slump and slump flow tests,” *2017 6th Natl. Conf. Technol. Manag. Malabe, Sri Lanka*, 2017.

[31] L. Zhang, X. X. Han, J. Ge, and C. H. Wang, “The relationship between compressive strength and flexural strength of pavement geopolymers grouting material,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 292, no. 1, 2018, doi: 10.1088/1757-

899X/292/1/012114.

- [32] I. A. El-naga and M. Ragab, “Benefits of utilization the recycle polyethylene terephthalate waste plastic materials as a modifier to asphalt mixtures,” *Constr. Build. Mater.*, vol. 219, pp. 81–90, 2019, doi: 10.1016/j.conbuildmat.2019.05.172.
- [33] G. Yıldırım, A. H. Khiavi, S. Yeşilmen, and M. Şahmaran, “Self-healing performance of aged cementitious composites,” *Cem. Concr. Compos.*, vol. 87, pp. 172–186, 2018, doi: 10.1016/j.cemconcomp.2018.01.004.
- [34] K. Ouyang *et al.*, “An overview on the efficiency of different pretreatment techniques for recycled concrete aggregate,” *J. Clean. Prod.*, vol. 263, p. 121264, 2020, doi: 10.1016/j.jclepro.2020.121264.
- [35] ASTM C39/C39M, “Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens 1,” *ASTM Stand. B.*, vol. i, no. March, pp. 1–5, 2003.