

DAFTAR PUSTAKA

- [1] D. Pedro, J. de Brito, and L. Evangelista, “Structural concrete with simultaneous incorporation of fine and coarse recycled concrete aggregates: Mechanical, durability and long-term properties,” *Constr. Build. Mater.*, vol. 154, pp. 294–309, 2017, doi: 10.1016/j.conbuildmat.2017.07.215.
- [2] L. N. Koutas, Z. Tetta, D. A. Bournas, and T. C. Triantafillou, “Strengthening of Concrete Structures with Textile Reinforced Mortars: State-of-the-Art Review,” *J. Compos. Constr.*, vol. 23, no. 1, p. 03118001, 2019, doi: 10.1061/(asce)cc.1943-5614.0000882.
- [3] H. Guo *et al.*, “Durability of recycled aggregate concrete – A review,” *Cem. Concr. Compos.*, vol. 89, pp. 251–259, 2018, doi: 10.1016/j.cemconcomp.2018.03.008.
- [4] D. Marchon, S. Kawashima, H. Bessaies-Bey, S. Mantellato, and S. Ng, “Hydration and rheology control of concrete for digital fabrication: Potential admixtures and cement chemistry,” *Cem. Concr. Res.*, vol. 112, no. December 2017, pp. 96–110, 2018, doi: 10.1016/j.cemconres.2018.05.014.
- [5] A. Abna and M. Mazloom, “Flexural properties of fiber reinforced concrete containing silica fume and nano-silica,” *Mater. Lett.*, vol. 316, no. February, p. 132003, 2022, doi: 10.1016/j.matlet.2022.132003.
- [6] A. Pietrzak and M. Ulewicz, “The effect of the addition of polypropylene fibres on improvement on concrete quality,” *MATEC Web Conf.*, vol. 183, pp. 10–12, 2018, doi: 10.1051/mateconf/201818302011.
- [7] J. Kim, “Properties of recycled aggregate concrete designed with equivalent mortar volume mix design,” *Constr. Build. Mater.*, vol. 301, p. 124091, 2021, doi: 10.1016/j.conbuildmat.2021.124091.
- [8] S. Aaleti and S. Sritharan, “Quantifying Bonding Characteristics between UHPC and Normal-Strength Concrete for Bridge Deck Application,” *J. Bridg. Eng.*, vol. 24, no. 6, p. 04019041, 2019, doi: 10.1061/(asce)be.1943-5592.0001404.
- [9] and S.-H. J. Ji-Hwan An¹, Jeong-Hee Nam², Soo-Ahn Kwon³ and 1, “Estimation of the Compressive Strength of Concrete Using Shear Wave Velocity Ji-Hwan An ¹ , Jeong-Hee Nam ² , Soo-Ahn Kwon ³ , and Sung-

- Ho Joh 4,” *Estim. Compressive Strength Concr. Using Shear Wave Veloc. Ji-Hwan An1, Jeong-Hee Nam2, Soo-Ahn Kwon3, Sung-Ho Joh4 1 Res. Highw. Facil. Res. Div. Korea Inst. Constr. Technol. jenix@kict.re.kr 2 Seni*, pp. 154–164, 2019.
- [10] A. I. Candra, E. Gardjito, Y. Cahyo, and G. A. Prasetyo, “Pemanfaatan Limbah Puntung Rokok Filter Sebagai Bahan Campuran Beton Ringan Berpori,” *Ukarst J. Univ. Kadiri Ris. Tek. Sipil*, vol. 3, no. 1, p. 82, 2019, doi: 10.30737/ukarst.v3i1.365.
- [11] H. E. Opara, U. G. Eziefula, and C. C. Ugwuegbu, “Experimental study of concrete using recycled coarse aggregate,” *Int. J. Mater. Struct. Integr.*, vol. 10, no. 4, pp. 123–132, 2017, doi: 10.1504/IJMSI.2016.082119.
- [12] S. Luhar, S. Chaudhary, and I. Luhar, “Development of rubberized geopolymer concrete: Strength and durability studies,” *Constr. Build. Mater.*, vol. 204, pp. 740–753, 2019, doi: 10.1016/j.conbuildmat.2019.01.185.
- [13] M. Hambach and D. Volkmer, “Properties of 3D-printed fiber-reinforced Portland cement paste,” *Cem. Concr. Compos.*, vol. 79, pp. 62–70, 2017, doi: 10.1016/j.cemconcomp.2017.02.001.
- [14] M. Shafieifar, M. Farzad, and A. Azizinamini, “Experimental and numerical study on mechanical properties of Ultra High Performance Concrete (UHPC),” *Constr. Build. Mater.*, vol. 156, pp. 402–411, 2017, doi: 10.1016/j.conbuildmat.2017.08.170.
- [15] B. S. N. Indonesia, “SNI 03-2834-1993 TATA CARA PEMBUATAN RENCANA CAMPURAN BETON NORMAL,” 1994.
- [16] M. Velay-Lizancos, I. Martinez-Lage, M. Azenha, J. Granja, and P. Vazquez-Burgo, “Concrete with fine and coarse recycled aggregates: E-modulus evolution, compressive strength and non-destructive testing at early ages,” *Constr. Build. Mater.*, vol. 193, pp. 323–331, 2018, doi: 10.1016/j.conbuildmat.2018.10.209.
- [17] G. Yıldırım, A. H. Khiavi, S. Yeşilmen, and M. Şahmaran, “Self-healing performance of aged cementitious composites,” *Cem. Concr. Compos.*, vol. 87, pp. 172–186, 2018, doi: 10.1016/j.cemconcomp.2018.01.004.

- [18] Badan Standarisasi Nasional, “SNI 03-2834-2000: Tata cara pembuatan rencana campuran beton normal,” *Sni 03-2834-2000*, pp. 1–34, 2000.
- [19] K. Marar and Ö. Eren, “Effect of cement content and water/cement ratio on fresh concrete properties without admixtures,” *Int. J. Phys. Sci.*, vol. 6, no. 24, pp. 5752–5765, 2019, doi: 10.5897/IJPS11.188.
- [20] T. Mohammed and I. Saeed, “Production of Geopolymer Concrete From Local Materials,” *Kufa J. Eng.*, vol. 09, no. 4, pp. 174–186, 2018, doi: 10.30572/2018/kje/090412.
- [21] D. V. Mallikarjuna Reddy and M. Manikanta Sai Swaroop, “Effect of Recycled Aggregates on Strength and performance of Recycled Aggregate Concrete,” *E3S Web Conf.*, vol. 184, pp. 4–7, 2020, doi: 10.1051/e3sconf/202018401085.
- [22] M. Etxeberria, E. Vázquez, A. Marí, and M. Barra, “Influence of amount of recycled coarse aggregates and production process on properties of recycled aggregate concrete,” *Cem. Concr. Res.*, vol. 37, no. 5, pp. 735–742, 2018, doi: 10.1016/j.cemconres.2007.02.002.
- [23] D. Nieto, E. Dapena, P. Alaejos, J. Olmedo, and D. Pérez, “Properties of Self-Compacting Concrete Prepared with Coarse Recycled Concrete Aggregates and Different Water:Cement Ratios,” *J. Mater. Civ. Eng.*, vol. 31, no. 2, p. 04018376, 2019, doi: 10.1061/(asce)mt.1943-5533.0002566.
- [24] P. Dai, J. T. Ding, and Y. Bai, “Test methods for suspended load abrasion and bed load abrasion on hydraulic concrete,” *Adv. Mater. Res.*, vol. 499, pp. 370–375, 2017, doi: 10.4028/www.scientific.net/AMR.499.370.
- [25] V. W. Y. Tam, M. Soomro, and A. C. J. Evangelista, “A review of recycled aggregate in concrete applications (2000–2017),” *Constr. Build. Mater.*, vol. 172, pp. 272–292, 2018, doi: 10.1016/j.conbuildmat.2018.03.240.
- [26] S. W. Park, Q. Xia, and M. Zhou, “Dynamic behavior of concrete at high strain rates and pressures: II. Numerical simulation,” *Int. J. Impact Eng.*, vol. 25, no. 9, pp. 887–910, 2018, doi: 10.1016/S0734-743X(01)00021-5.
- [27] K. Ouyang *et al.*, “An overview on the efficiency of different pretreatment techniques for recycled concrete aggregate,” *J. Clean. Prod.*, vol. 263, p. 121264, 2020, doi: 10.1016/j.jclepro.2020.121264.

- [28] A. Pietrzak and M. Ulewicz, "The impact of the length of polypropylene fibers on selected properties of concrete," *ACTA Sci. Pol. - Archit. Bud.*, vol. 18, no. 2, pp. 21–25, 2019, doi: 10.22630/aspa.2019.18.2.18.
- [29] B. S. Nasional, "SNI 03-1968-1990 Metode Pengujian Tentang Analisis Saringan Agregat Halus dan Kasar," *Badan Standar Nas. Indones.*, pp. 1–5, 1990.
- [30] Departemen Pekerjaan Umum, "Cara Uji Keausan Agregat Dengan Mesin Abrasi Los Angeles, SNI 2417:2008," *Standar Nas. Indones.*, 2008.
- [31] SNI 1971-2011, "Cara Uji Kadar Air Total dengan Pengeringan," *Badan Stand. Nas. Indones.*, p. 6, 2011.
- [32] H. Hamdani, N. Nyoman Kencanawati, P. Profys Bangun Persada, and J. Mandalika Kuta Kab Lombok Tengah, "Application of SCC Concrete (Self Compacting Concrete) on Beam-Column Connection under Vertical Loading," *Spektrum Sipil*, vol. 5, no. 1, pp. 58–69, 2018.
- [33] SNI-1972:2008, "SNI-1972:2008 Cara Uji *Slump* Beton," *Badan Standar Nas. Indones.*, 2008.
- [34] A. Maryoto, "Proposed concrete compaction method using an electrical internal vibrator: A review of compaction standard for concrete in laboratory according to SNI 2493:2011," *MATEC Web Conf.*, vol. 195, 2018, doi: 10.1051/mateconf/201819501003.
- [35] C. Liang, B. Pan, Z. Ma, Z. He, and Z. Duan, "Utilization of CO₂ *curing* to enhance the properties of recycled aggregate and prepared concrete: A review," *Cem. Concr. Compos.*, vol. 105, p. 103446, 2020, doi: 10.1016/j.cemconcomp.2019.103446.
- [36] Badan Standardisasi Nasional, "SNI 2493-2011: Tata Cara Pembuatan dan Perawatan Benda Uji Beton di Laboratorium," *Badan Standar Nas. Indones.*, p. 23, 2011, [Online]. Available: www.bsn.go.id.
- [37] T. Chen and X. Gao, "Effect of carbonation *curing* regime on strength and microstructure of Portland cement paste," *J. CO₂ Util.*, vol. 34, no. April, pp. 74–86, 2019, doi: 10.1016/j.jcou.2019.05.034.
- [38] Badan Standardisasi Nasional, "SNI 1974-2011 Cara Uji Kuat Tekan Beton dengan Benda Uji Silinder," *Badan Stand. Nas. Indones.*, p. 20, 2011