

DAFTAR PUSTAKA

- [1] F. X. Zhao and H. Y. Shang, “Role of transportation network on population distribution evolution,” *Phys. A Stat. Mech. its Appl.*, vol. 577, p. 126076, 2021, doi: 10.1016/j.physa.2021.126076.
- [2] A. Banerjee, E. Duflo, and N. Qian, “On the road: Access to transportation infrastructure and economic growth in China,” *J. Dev. Econ.*, vol. 145, no. January, p. 102442, 2020, doi: 10.1016/j.jdeveco.2020.102442.
- [3] W. Ferdous *et al.*, “Optimal design for epoxy polymer concrete based on mechanical properties and durability aspects,” *Constr. Build. Mater.*, vol. 232, p. 117229, 2020, doi: 10.1016/j.conbuildmat.2019.117229.
- [4] D. J. Forkenbrock and N. S. J. Foster, “Economic benefits of a corridor highway investment,” *Transp. Res. Part A Gen.*, vol. 24, no. 4, pp. 303–312, 1990, doi: 10.1016/0191-2607(90)90007-S.
- [5] P. Marcelino, M. de Lurdes Antunes, and E. Fortunato, “Comprehensive performance indicators for road pavement condition assessment,” *Struct. Infrastruct. Eng.*, vol. 14, no. 11, pp. 1433–1445, 2018, doi: 10.1080/15732479.2018.1446179.
- [6] O. F. Hamim, S. S. Aninda, M. S. Hoque, and M. Hadiuzzaman, “Suitability of pavement type for developing countries from an economic perspective using life cycle cost analysis,” *Int. J. Pavement Res. Technol.*, vol. 14, no. 3, pp. 259–266, 2021, doi: 10.1007/s42947-020-0107-z.

- [7] P. Di Mascio, G. Loprencipe, and L. Moretti, “Technical and economic criteria to select pavement surfaces of port handling plants,” *Coatings*, vol. 9, no. 2, 2019, doi: 10.3390/coatings9020126.
- [8] A. Pandey and B. Kumar, “A comprehensive investigation on application of microsilica and rice straw ash in rigid pavement,” *Constr. Build. Mater.*, vol. 252, p. 119053, 2020, doi: 10.1016/j.conbuildmat.2020.119053.
- [9] C. K. Lau, A. Chegenizadeh, T. N. S. Htut, and H. Nikraz, “Performance of the steel fibre reinforced rigid concrete pavement in fatigue,” *Buildings*, vol. 10, no. 10, pp. 1–18, 2020, doi: 10.3390/buildings10100186.
- [10] M. A. Rasol *et al.*, “GPR laboratory tests and numerical models to characterize cracks in cement concrete specimens, exemplifying damage in rigid pavement,” *Meas. J. Int. Meas. Confed.*, vol. 158, p. 107662, 2020, doi: 10.1016/j.measurement.2020.107662.
- [11] J. Noorzaei, S. Hakim, and M. Jaafar, “Development of Artificial Neural Networks for Predicting Concrete Compressive Strength,” *Int. J. Eng. Technol.*, vol. 4, no. 2, pp. 141–153, 2007.
- [12] E. Sharifi, S. J. Sadjadi, M. R. M. Aliha, and A. Moniri, “Optimization of high-strength self-consolidating concrete mix design using an improved Taguchi optimization method,” *Constr. Build. Mater.*, vol. 236, p. 117547, 2020, doi: 10.1016/j.conbuildmat.2019.117547.
- [13] D. Jiao, C. Shi, Q. Yuan, X. An, and Y. Liu, “Mixture design of concrete using simplex centroid design method,” *Cem. Concr. Compos.*, vol. 89, pp. 76–88, 2018, doi: 10.1016/j.cemconcomp.2018.03.001.

- [14] W. Abbass, M. I. Khan, and S. Mourad, "Evaluation of mechanical properties of steel fiber reinforced concrete with different strengths of concrete," *Constr. Build. Mater.*, vol. 168, pp. 556–569, 2018, doi: 10.1016/j.conbuildmat.2018.02.164.
- [15] *UNDANG-UNDANG REPUBLIK INDONESIA NOMOR 38 TAHUN 2004 TENTANG JALAN*, vol. 8, no. 4. Indonesia, 2004, pp. 104–110.
- [16] Badan Standarisasi Nasional Indonesia, "SNI 2847-2019 : Persyaratan Beton Struktural untuk Bangunan Gedung," *Standar Nas. Indones.*, no. 8, p. 720, 2019.
- [17] P. Jha, A. K. Sachan, and R. P. Singh, "Agro-waste sugarcane bagasse ash (ScBA) as partial replacement of binder material in concrete," *Mater. Today Proc.*, vol. 44, no. xxxx, pp. 419–427, 2021, doi: 10.1016/j.matpr.2020.09.751.
- [18] A. A. Torres-Acosta and L. Alejandra Díaz-Cruz, "Concrete durability enhancement from nopal (*opuntia ficus-indica*) additions," *Constr. Build. Mater.*, vol. 243, p. 118170, 2020, doi: 10.1016/j.conbuildmat.2020.118170.
- [19] S. K. Kirthika, S. K. Singh, and A. Chourasia, "Alternative fine aggregates in production of sustainable concrete- A review," *J. Clean. Prod.*, vol. 268, p. 122089, 2020, doi: 10.1016/j.jclepro.2020.122089.
- [20] Badan Standardisasi Nasional, "SNI 03-1972-1990 : Metode Pengujian Slump Beton," *Badan Standar Nas. Indones.*, vol. 1, no. ICS 91.100.30, pp. 1–12, 1990.

- [21] S. Ren *et al.*, “Maintenance of superhydrophobic concrete for high compressive strength,” *J. Mater. Sci.*, vol. 56, no. 7, pp. 4588–4598, 2021, doi: 10.1007/s10853-020-05558-7.
- [22] M. Li, H. Hao, Y. Shi, and Y. Hao, “Specimen shape and size effects on the concrete compressive strength under static and dynamic tests,” *Constr. Build. Mater.*, vol. 161, pp. 84–93, 2018, doi: 10.1016/j.conbuildmat.2017.11.069.
- [23] A. Sfyridis and P. Agnolucci, “Annual average daily traffic estimation in England and Wales: An application of clustering and regression modelling,” *J. Transp. Geogr.*, vol. 83, no. January, p. 102658, 2020, doi: 10.1016/j.jtrangeo.2020.102658.
- [24] *Manual Desain Perkerasan Jalan - Bina Marga 2013*. Indonesia, 2013, p. 234.
- [25] *MANUAL DESAIN PERKERASAN JALAN REVISI 2017*. Indonesia, 2017, p. 234.
- [26] M. Saberian, J. Li, B. Nguyen, and G. Wang, “Permanent deformation behaviour of pavement base and subbase containing recycle concrete aggregate, coarse and fine crumb rubber,” *Constr. Build. Mater.*, vol. 178, pp. 51–58, 2018, doi: 10.1016/j.conbuildmat.2018.05.107.
- [27] B. H. Al-Humeidawi and P. Mandal, “Experimental investigation on the combined effect of dowel misalignment and cyclic wheel loading on dowel bar performance in JPCP,” *Eng. Struct.*, vol. 174, no. July, pp. 256–266, 2018, doi: 10.1016/j.engstruct.2018.07.052.

- [28] W. Yin, H. Lu, J. Yuan, and B. Huang, "Mechanical characteristics of dowel bar-concrete interaction: based on substructure experiment," *Int. J. Pavement Eng.*, vol. 23, no. 7, pp. 2392–2404, 2022, doi: 10.1080/10298436.2020.1857380.
- [29] C. Zhai, B. Lu, W. Wen, D. Ji, and L. Xie, "Experimental study on shear behavior of tie-bars in steel-plate concrete composite structure subjected to cyclic loading," *Eng. Struct.*, vol. 163, no. September 2017, pp. 311–322, 2018, doi: 10.1016/j.engstruct.2018.02.070.
- [30] I. R. Darmawan and C. A. Prastyanto, "Perancangan Geometrik dan Perkerasan Jalan Tol Probolinggo - Banyuwangi Segmen Probolinggo - Paiton dengan Menggunakan Perkerasan Kaku," *J. Tek. ITS*, vol. 8, no. 2, pp. 2–8, 2020, doi: 10.12962/j23373539.v8i2.47262.
- [31] D. Rochmanto, A. Safaah, M. Qomaruddin, and N. Hidayati, "Studi Komparasi Perkerasan Kaku Dan Perkerasan Lentur Jalan Kembang – Tubanan Kabupaten Jepara," *J. Ilm. Teknosains*, vol. 5, no. 2, pp. 63–69, 2020, doi: 10.26877/jitek.v5i2.3565.
- [32] A. K. Salim, M. A. Darmawan, and H. Wibowo, "Analisa Perbandingan Biaya Perkerasan Kaku dan Perkerasan Lentur Pada Proyek Jalan Middle Ring Road Kota Makassar," *Progr. Stud. Tek. Sipil Fak. Tek. Univ. Muslim Indones. Jl.*, vol. 5, no. 1, pp. 41–47, 2020.
- [33] R. Ardiansyah and T. Sudibyoy, "Analisis Perencanaan Tebal Perkerasan Kaku Lajur Pengganti pada Proyek Pembangunan Jalan Tol Jakarta-Cikampek II Elevated," *J. Tek. Sipil dan Lingkung.*, vol. 5, no. 1, pp. 17–

30, 2020, doi: 10.29244/jsil.5.1.17-30.