

DAFTAR PUSTAKA

- [1] F. Aslani, G. Ma, D. L. Yim Wan, and G. Muselin, “Development of high-performance self-compacting concrete using waste recycled concrete aggregates and rubber granules,” *J. Clean. Prod.*, vol. 182, pp. 553–566, 2018, doi: 10.1016/j.jclepro.2018.02.074.
- [2] W. P. Huang *et al.*, “An innovative support technology employing a concrete-filled steel tubular structure for a 1000-m-deep roadway in a high in situ stress field,” *Tunn. Undergr. Sp. Technol.*, vol. 73, no. November 2017, pp. 26–36, 2018, doi: 10.1016/j.tust.2017.11.007.
- [3] B.-T. Huang, Q.-H. Li, and S.-L. Xu, “Fatigue Deformation Model of Plain and Fiber-Reinforced Concrete Based on Weibull Function,” *J. Struct. Eng.*, vol. 145, no. 1, p. 04018234, 2019, doi: 10.1061/(asce)st.1943-541x.0002237.
- [4] P. Brzozowski *et al.*, “Workability and mechanical properties of alkali-activated fly ash-slag concrete cured at ambient temperature,” *Constr. Build. Mater.*, vol. 172, pp. 127–134, 2018, doi: 10.1016/j.conbuildmat.2018.04.008.
- [5] P. Brzozowski, E. Horszczaruk, and K. Hrabciuk, “The influence of natural and nano-additives on early strength of cement mortars,” *Procedia Eng.*, vol. 172, pp. 127–134, 2017, doi: 10.1016/j.proeng.2017.02.034.
- [6] S. Ren, Y. Chen, K. Xu, J. Liu, J. Sun, and D. Zhao, “Maintenance of superhydrophobic concrete for high compressive strength,” *J. Mater. Sci.*, 2020, doi: 10.1007/s10853-020-05558-7.

- [7] M. C. G. Juenger, R. Snellings, and S. A. Bernal, “Cement and Concrete Research Supplementary cementitious materials: New sources , characterization , and performance insights,” *Cem. Concr. Res.*, vol. 122, no. February, pp. 257–273, 2019, doi: 10.1016/j.cemconres.2019.05.008.
- [8] C. Sondakh and S. Gumalang, “The processing, properties and optimum mix of fly ash based - Self compacting geopolymer concrete,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 419, no. 1, 2020, doi: 10.1088/1755-1315/419/1/012067.
- [9] M. Lv, A. Jiao, X. An, H. Bai, J. Zhang, and K. Shao, “Development of a Mix Design Method for Multiplexed Powder Self-Compacting Concrete Based on the Multiscale Rheological Threshold Theory,” *Buildings*, vol. 12, no. 10, 2022, doi: 10.3390/buildings12101663.
- [10] M. Saberian, J. Li, B. Nguyen, and G. Wang, “Permanent deformation behaviour of pavement base and subbase containing recycle concrete aggregate , coarse and fine crumb rubber,” *Constr. Build. Mater.*, vol. 178, pp. 51–58, 2018, doi: 10.1016/j.conbuildmat.2018.05.107.
- [11] SNI 03-2834-2000, “SNI 03-2834-2000: Tata cara pembuatan rencana campuran beton normal,” *Sni 03-2834-2000*, pp. 1–34, 2000.
- [12] P. M. Beton, “Perencanaan campuran dan pengendalian mutu beton ~ •”.
- [13] E. del Rey Castillo, N. Almesfer, O. Saggi, and J. M. Ingham, “Light-weight concrete with artificial aggregate manufactured from plastic waste,” *Constr. Build. Mater.*, vol. 265, p. 120199, 2020, doi:

10.1016/j.conbuildmat.2020.120199.

- [14] S. Nasional, “Standar Nasional Indonesia,” 2011, [Online]. Available: www.bsn.go.id
- [15] P. C. Taylor, “Curing concrete,” *Curing Concr.*, no. 69973, pp. 1–184, 2013, doi: 10.1201/b15519.
- [16] C. C. T. Speci-, T. D. Cores, C. C. T. Speci-, B. Statements, and C. Testing, “Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens 1,” vol. 04, no. March, pp. 1–5, 2001.
- [17] S. 1974-2011, “SNI 1974-2011 Cara Uji Kuat Tekan Beton dengan Benda Uji Silinder,” *Badan Stand. Nas. Indones.*, p. 20, 2011.
- [18] H. B. Dhonde, “Modified J-Ring Test for Self-Compacting Concrete,” pp. 133–144, 2016.
- [19] D. Waktu and I. Beton, “Uji Eksperimental Penggunaan Zat Additif Mastersure 1007 Terhadap Workability,” vol. 01, 2021.
- [20] K. FAEZEHOSSADAT and B. JEFF, “Expansive Soil: Causes and Treatments,” *i-manager’s J. Civ. Eng.*, vol. 6, no. 3, p. 1, 2016, doi: 10.26634/jce.6.3.8083.
- [21] Z. Ai-jun, M. Hai-hong, and Z. Zhen-de, “Theoretical Elastio-Plastic Solution for Piles Subject to Lateral Soil Movement,” *Procedia Earth Planet. Sci.*, vol. 5, no. 2011, pp. 58–63, 2012, doi: 10.1016/j.proeps.2012.01.010.
- [22] T. Sukwika, “Peran Pembangunan Infrastruktur terhadap Ketimpangan Ekonomi Antarwilayah di Indonesia,” *J. Wil. dan Lingkung.*, vol. 6, no. 2, p. 115, 2018, doi: 10.14710/jwl.6.2.115-130.

- [23] O. O. Ojuri, A. A. Adavi, and O. E. Oluwatuyi, "Geotechnical and environmental evaluation of lime–cement stabilized soil–mine tailing mixtures for highway construction," *Transp. Geotech.*, vol. 10, pp. 1–12, 2017, doi: 10.1016/j.trgeo.2016.10.001.
- [24] E. Sharifi, S. J. Sadjadi, M. R. M. Aliha, and A. Moniri, "Optimization of high-strength self-consolidating concrete mix design using an improved Taguchi optimization method," *Constr. Build. Mater.*, vol. 236, p. 117547, 2020, doi: 10.1016/j.conbuildmat.2019.117547.
- [25] H. B. Dhonde, "Measurement of Properties of Fresh Self-Compacting Concrete Testing-SCC," *Guidel. Test. Fresh Self-compacting Concr.*, no. September, pp. 187–207, 2008, [Online]. Available: <http://linkinghub.elsevier.com/retrieve/pii/B9781845692636500092>
- [26] SNI 03-1971-1990, "Metode Pengujian Kadar Air Agregat," *Badan Standarisasi Nas.*, vol. 27, no. 5, p. 6889, 1990.
- [27] SNI 03-4142-1996, "Metode Pengujian Jumlah Bahan dalam Agregat yang Lolos Saringan No 200 (0,075 mm)," *Badan Standar Nas. Indones.*, vol. 200, no. 200, pp. 1–6, 1996.
- [28] B. standarisasi Nasional, "Tata Cara Perhitungan Harga Satuan Pekerjaan Plesteran untuk Konstruksi Bangunan Gedung dan Perumahan," *Sni*, vol. 2837, p. 2008, 2008.
- [29] SNI 7656:2012, "Tata Cara Pemilihan Campuran untuk Beton Normal, Beton Berat dan Beton Massa," *Badan Standarisasi Nas.*, p. 52, 2012.
- [30] SNI 4810, "Tata cara pembuatan dan perawatan spesimen uji beton di lapangan," *Standar Nas. Indones.*, 2013, [Online]. Available:

www.bsn.go.id