

DAFTAR PUSTAKA

- [1] T. Multazam, R. I. Putri, M. Pujiantara, V. Lystianingrum, A. Priyadi, and P. Hery Mauridhi, "Short-Term Wind Speed Prediction Base on Backpropagation Levenberg-Marquardt Algorithm; Case Study Area Nganjuk," in *Proceedings of 2017 5th International Conference on Instrumentation, Communications, Information Technology, and Biomedical Engineering, ICICI-BME 2017*, 2018, pp. 163–166. doi: 10.1109/ICICI-BME.2017.8537769.
- [2] T. Kato, H. Kuroda, and K. Yoshida, "GIS analysis of conjunctive water resource use in Nganjuk district, east Java, Indonesia," *Paddy Water Environ.*, vol. 11, no. 1–4, pp. 193–205, 2013, doi: 10.1007/s10333-011-0304-0.
- [3] R. I. Putri, A. Priyadi, and M. H. Purnomo, "Stochastic Petri Nets for very short-term wind speed modeling," 2015. doi: 10.1109/CIVEMSA.2015.7158619.
- [4] I. R. D. Ari, K. E. Sari, A. Wicaksono, and L. Harisanti, "Structural model of formation factors of tourism policy in Nganjuk Regency: Tourists' perspectives," in *Sustainable Future for Human Security: Society, Cities and Governance*, Universitas Brawijaya, Kota Malang, Indonesia: Springer Singapore, 2017, pp. 103–107. doi: 10.1007/978-981-10-5433-4_7.
- [5] D. W. Pujiriyani, H. Wulansari, and B. Suyudi, "Land acquisition for dams: Relocation problem and potential change in livelihood of communities affected villages," in *IOP Conference Series: Earth and Environmental Science*, 2021, vol. 892, no. 1. doi: 10.1088/1755-1315/892/1/012106.
- [6] "5th International Conference of Water Resources Development and Environmental Protection," in *IOP Conference Series: Earth and Environmental Science*, 2024, vol. 1311, no. 1.
- [7] Y.-Y. Liu, L. Li, Y.-S. Liu, P. W. Chan, and W.-H. Zhang, "Dynamic spatial-temporal precipitation distribution models for short-duration rainstorms in Shenzhen, China based on machine learning," *Atmos. Res.*, vol. 237, 2020, doi: 10.1016/j.atmosres.2020.104861.
- [8] L. Rosenberger, J. Leandro, S. Pauleit, and S. Erlwein, "Sustainable

- stormwater management under the impact of climate change and urban densification,” *J. Hydrol.*, vol. 596, 2021, doi: 10.1016/j.jhydrol.2021.126137.
- [9] I. A. Pervin, S. M. M. Rahman, M. Nepal, A. K. E. Haque, H. Karim, and G. Dhakal, “Adapting to urban flooding: A case of two cities in South Asia,” *Water Policy*, vol. 22, pp. 162–188, 2020, doi: 10.2166/wp.2019.174.
 - [10] R. Lin, F. Zheng, D. Savic, Q. Zhang, and X. Fang, “Improving the Effectiveness of Multiobjective Optimization Design of Urban Drainage Systems,” *Water Resour. Res.*, vol. 56, no. 7, 2020, doi: 10.1029/2019WR026656.
 - [11] B. Liu, S. Wang, X. Liu, and H. Sun, “Evaluating soil water and salt transport in response to varied rainfall events and hydrological years under brackish water irrigation in the North China Plain,” *Geoderma*, vol. 422, 2022, doi: 10.1016/j.geoderma.2022.115954.
 - [12] Y. Yao *et al.*, “Comprehensive performance evaluation of stormwater management measures for sponge city construction: A case study in Gui’an New District, China,” *J. Flood Risk Manag.*, vol. 15, no. 4, 2022, doi: 10.1111/jfr3.12834.
 - [13] Y. Zhou *et al.*, “Microplastics discharged from urban drainage system: Prominent contribution of sewer overflow pollution,” *Water Res.*, vol. 236, 2023, doi: 10.1016/j.watres.2023.119976.
 - [14] J. Zhang, M. Yan, X. Lu, and T. Wang, “Nutrient removal performance from agricultural drainage by strengthening ecological ditches in hilly areas,” *Agric. Water Manag.*, vol. 291, 2024, doi: 10.1016/j.agwat.2023.108623.
 - [15] J. Wu, Z. Liu, T. Liu, W. Liu, W. Liu, and H. Luo, “Assessing urban pluvial waterlogging resilience based on sewer congestion risk and climate change impacts,” *J. Hydrol.*, vol. 626, 2023, doi: 10.1016/j.jhydrol.2023.130230.
 - [16] T. B. Ramos *et al.*, “Water use, soil water balance and soil salinization risks of Mediterranean tree orchards in southern Portugal under current climate variability: Issues for salinity control and irrigation management,” *Agric. Water Manag.*, vol. 283, 2023, doi: 10.1016/j.agwat.2023.108319.
 - [17] Y. Liu *et al.*, “Impact of acid mine drainage on groundwater hydrogeochemistry at a pyrite mine (South China): a study using stable isotopes and multivariate statistical analyses,” *Environ. Geochem. Health*, vol. 45, no. 3, pp. 771–785, 2023, doi: 10.1007/s10653-022-01242-8.

- [18] S. Sheikha-BagemGhaleh, H. Babazadeh, H. Rezaie, and M. Sarai-Tabrizi, "The effect of climate change on surface and groundwater resources using WEAP-MODFLOW models," *Appl. Water Sci.*, vol. 13, no. 6, 2023, doi: 10.1007/s13201-023-01923-4.
- [19] A. Raimondi and G. Becciu, "Performance of Green Roofs for Rainwater Control," *Water Resour. Manag.*, vol. 35, no. 1, pp. 99–111, 2021, doi: 10.1007/s11269-020-02712-3.
- [20] D. Qiu *et al.*, "A rainwater control optimization design approach for airports based on a self-organizing feature map neural network model," *PLoS One*, vol. 15, no. 1, 2020, doi: 10.1371/journal.pone.0227901.
- [21] X. Wang, G. Rong, S. Sun, T. Zheng, and L. Hu, "Campus rainwater control and benefit analysis based on low impact development," *Paiguan Jixie Gongcheng Xuebao/Journal Drain. Irrig. Mach. Eng.*, vol. 39, no. 12, pp. 1223–1229, 2021, doi: 10.3969/j.issn.1674-8530.20.0162.
- [22] A. D. Yetis, N. Kahraman, M. I. Yesilnacar, and H. Kara, "Groundwater Quality Assessment Using GIS Based on some Pollution Indicators over the Past 10 Years (2005–2015): a Case Study from Semi-Arid Harran Plain, Turkey," *Water. Air. Soil Pollut.*, vol. 232, no. 1, 2021, doi: 10.1007/s11270-020-04963-7.
- [23] J. Yan, J. Chen, and W. Zhang, "Impact of land use and cover on shallow groundwater quality in Songyuan city, China: A multivariate statistical analysis," *Environ. Pollut.*, vol. 307, 2022, doi: 10.1016/j.envpol.2022.119532.
- [24] L.-W. Xu, J.-M. Bian, X.-Q. Sun, Y.-Q. Lou, and G.-J. Sun, "The influence and health risk assessment of groundwater quality in irrigated area," *Zhongguo Huanjing Kexue/China Environ. Sci.*, vol. 43, no. 4, pp. 1688–1695, 2023.
- [25] K. L. Meierdiercks, M. B. Kolozsvary, K. P. Rhoads, M. Golden, and N. F. McCloskey, "The role of land surface versus drainage network characteristics in controlling water quality and quantity in a small urban watershed," *Hydrol. Process.*, vol. 31, no. 24, pp. 4384–4397, 2017, doi: 10.1002/hyp.11367.
- [26] N. Kändler, I. Annus, A. Vassiljev, R. Puust, and K. Kaur, "Controlling Stormwater Runoff from Impermeable Areas by Using Smart Inlets," in *Green Energy and Technology*, 2019, pp. 263–268. doi: 10.1007/978-3-319-99867-1_44.

- [27] A. K. Yereseme, H. J. Surendra, and G. Kuntoji, "Sustainable integrated urban flood management strategies for planning of smart cities: a review," *Sustain. Water Resour. Manag.*, vol. 8, no. 3, 2022, doi: 10.1007/s40899-022-00666-5.
- [28] O.-E. Chelariu, C. Iașu, and I. Minea, "A GIS-Based Model for Flood Shelter Locations and Pedestrian Evacuation Scenarios in a Rural Mountain Catchment in Romania," *Water (Switzerland)*, vol. 14, no. 19, 2022, doi: 10.3390/w14193074.
- [29] J. Xia *et al.*, "A unified formula for discharge capacity of street inlets for urban flood management," *J. Hydrol.*, vol. 609, 2022, doi: 10.1016/j.jhydrol.2022.127667.