

DAFTAR PUSTAKA

- Aziz, A., Taha, H., Ismail, N. H., Zuraina, F., Yusof, M., Zukiflee, M., & Bakar, A. (2016). Therapeutic Potential of Plant Species Derived from Some Annonaceae Genus. *International Journal of Agriculture and Forestry*, 6(6), 214–221. <https://doi.org/10.5923/j.ijaf.20160606.03>
- Bhattacharyya. (2009). *Systematic Botany. Second Edition. Narosa Publishing House, New Delhi*.
- Bioversity International and CHERLA. (2008). Cherimoya Descriptors for Cherimoya (*Annona cherimola* Mill.). In *Bioversity International*.
- Chatrou, L. W., Koek-Noorman, J., & Maas, P. J. M. (2000). Studies in Annonaceae XXXVI. The Duguetia alliance: Where the ways part. *Annals of the Missouri Botanical Garden*, 87(2), 234–245.
- Chatrou, L. W., Pirie, M. D., Erkens, R. H. J., Couvreur, T. L. P., Neubig, K. M., Abbott, J. R., Mols, J. B., Maas, J. W., Saunders, R. M. K., & Chase, M. W. (2012). A new subfamilial and tribal classification of the pantropical flowering plant family Annonaceae informed by molecular phylogenetics. *Botanical Journal of the Linnean Society*, 169(1), 5–40. <https://doi.org/10.1111/j.1095-8339.2012.01235.x>
- Chen, J., Liu, M.F., Saunders, R.M.K. (2020). Contrasting floral biology of *Artabotrys* species (Annonaceae): Implications for the evolution of pollinator trapping. *Plant Species Biology*, 1-14.
- Couvreur, T. L. P., Maas, P. J. M., Meinke, S., Johnson, D. M., & Keßler, P. J. A. (2012). Keys to the genera of Annonaceae. *Botanical Journal of the Linnean Society*, 169(1), 74–83. <https://doi.org/10.1111/j.1095-8339.2012.01230.x>
- Darusman, H. S., Rahminiwat, M., Sadih, S., Batubara, I., Darusman, L. K., & Mitsunaga, T. (2012). Indonesian Kepel Fruit (StelechEffect, H., The, O. F., Leaves, K., Stelechocarpus, E., Hakim, A. R., Farmasi, F., & Gadjah, U. (n.d.). Efek Hipourikemia Ekstrak Daun Kepel [*Stelechocarpus burahol* (B.) Hook.f. & Th.] Terhadap Allopurinol Secara In Vivo. In *Research Journal of Medicinal Plant* (Vol. 6, Issue 2, pp. 180–188).
- Frausin, G., Lima, R. B. S., Hidalgo, A. de F., Maas, P., & Pohlitz, A. M. (2014). Plants of the Annonaceae traditionally used as antimalarials: a review. *Revista Brasileira de Fruticultura*, 36(spe1), 315–337.
- Gusmiati, L. H., Hapsari, L., & Wahyudi, D. (2018). Keberagaman dan Pengelompokan Morfologi 10 Pisang Olahan (*Musa* cv. Grup ABB) Koleksi Kebun Raya Purwodadi - LIPI. *Floribunda*, 5(8), 299–314.
- Hammer, David A.T. Harper, and P. D. R. (2001). National knowledge resource consortium -a national gateway of S&T on-line resources for CSIR and DST

- laboratories. *Current Science*, 105(10), 1352–1357.
- INDA, K. (2021). *Uji Efektivitas Perasan Daun Sirsak (Annona Muricata) Terhadap Kematian Larva Aedes Aegypti Tahun 2021*. <https://repository.poltekkes-tjk.ac.id/id/eprint/870/>
- Johnson, D. M., & Murray, N. A. (2018). *A revision of Xylopia L. (Annonaceae): the species of Tropical Africa*. 252, 1–252.
- Jun Cheng,. (2012). Composition and insecticidal activity of the essential oil of *Cananga odorata* leaves against *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae). *Journal of Medicinal Plants Research*, 6(19), 3482–3486. <https://doi.org/10.5897/jmpr12.136>
- Lathif, A. (2004). Studies in Malaysian Annonaceae. I. A revision of *Woodiellantha*. *SANDAICAINA*, 11.
- Lestari, D. A., Azrianingsih, R., & Hendrian, H. (2017). Taxonomical position of Annonaceae species from East Java, Indonesia: Collections of Purwodadi botanic garden based on morphological character. *Biodiversitas*, 18(3), 1067–1076. <https://doi.org/10.13057/biodiv/d180326>
- Lestari, D. A., & Ningrum, L. W. (2021). Karakter Penciri Morfologi dan Tipe Panjatan Koleksi Tumbuhan Memanjat Annonaceae. *BIOEDUSAINS: Jurnal Pendidikan Biologi Dan Sains*, 4(2), 117–128.
- Meade, C. V., & Parnell, J. A. N. (2018). A revised taxonomy for *Uvaria* (Annonaceae) in continental Asia. *Australian Systematic Botany*, 31(4), 311–356. <https://doi.org/10.1071/SB17051>
- Moghadamtousi, S. Z., Fadaeinasab, M., Nikzad, S., Mohan, G., Ali, H. M., & Kadir, H. A. (2015). *Annona muricata* (Annonaceae): A review of its traditional uses, isolated acetogenins and biological activities. *International Journal of Molecular Sciences*, 16(7), 15625–15658.
- Mohd-Ridzuwan, B. ., Wan Juliana, W. ., Shaharuddin, M. ., Abd Rahman, A. ., & Latif, A. (2014). Taxonomic Diversity , Abundance and Distribution of Lianas in Berembun Virgin. *The Malaysian Forester*, 77(1), 49–64.
- Nahdi, M. S., Martiwi, I. N. A., & Arsyah, D. C. (2016). The ethnobotany of medicinal plants in supporting the family health in Turgo, Yogyakarta, Indonesia. *Biodiversitas*, 17(2), 900–906.
- Nuraida, D. (2001). Pemuliaan Tanaman Cepat Dan Tepat Melalui Pendekatan Marka Molekuler. *El-Hayah*, 2(2), 97–103.
- Pavitaningrum, C., Kamila, C., Supriyatna, A., & Supriyatna, A. (2023). Analisis Dan Inventarisasi Famili Annonaceae Di Perumahan Gading Junti Asri, Desa Sangkanhurip, Kabupaten Bandung. *Jurnal Agroteknologi Pertanian & Publikasi Riset Ilmiah*, 5(1), 45–53. <https://doi.org/10.55542/jappri.v5i1.709>

- Probojati, R.T., Hadiyanti, N., Lisanty, N., Pamujiati, A.D., Firdausi, M.R. 2023. Exploration of Local Durian (*Durio zibethinus* Murr.) from Semen Sub-District, Kediri, East Java Based on Morphological Character and Geographical Factor. *Journal Pertanian Tropik*, 10(1): 1-6
- RAHAJENG, W. (2015). *Pendugaan keragaman karakter morfologi 50 akses plasma nutfah ubijalar*. 1, 904–909.
- Rugayah. (2014). *Annonaceae dari Wawonii , Sulawesi Tenggara Annonaceae from Wawonii Island , South East Sulawesi*. 10(1), 67–76.
- Singh, G. (2010). *Plant Systematic: An integrated approach* (Vol. 3).
- Sobir. (2006). *Studi Keragaman Morfologi Akses Pisang Koleksi Dari Kabupaten Lampung Selatan* (pp. 19–27).
- Son, N. T. (2019). Genus *Miliusa*: A Review of Phytochemistry and Pharmacology. *Evidence-Based Complementary and Alternative Medicine*, 2019. <https://doi.org/10.1155/2019/8314693>
- Sukartini. (2007). Pengelompokan Akses Pisang Menggunakan Karakter Morfologi IPGRI. *J. Hort.*, 17(1), 26–33.
- Tan, K. K., & Wiart, C. (2014). Botanical descriptions, ethnomedicinal and non-medicinal uses of the genus *Artabotrys* R.Br. *Int. Curr. Pharm. J.*, 6(1), 34–40. <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L372183258%5Cnhttp://www.ijcpr.org/Issues/Vol6Issue1/762.pdf%5Cnhttp://elvis.ubvu.vu.nl:9003/vulink?sid=EMBASE&issn=09757066&id=doi:&atitle=Botanical+descriptions,+ethnomedicinal+and>
- Trimanto, Hapsari, L., & Budiharta, S. (2021). Integrating indicators of natural regeneration, enrichment planting, above-ground carbon stock, micro-climate and soil to asses vegetation succession in postmining reclamation in tropical forest. *Turkish Journal of Botany*, 45(5), 457–467.
- Turner, I. M. (2012). *Annonaceae of Borneo: a review of the climbing species*. *Gardens' Bulletin Singapore*, 64(2), 371–479.
- Wang, T., Yuan, Y., Wang, J., Han, C., & Chen, G. (2012). Anticancer activities of constituents from the stem of *Polyalthia rumphii*. *Pakistan Journal of Pharmaceutical Sciences*, 25(2), 353–356.
- Wattimena, G. (2006). Prospek Plasma Nutfah Kentang Dalam Mendukung Swasembada Benih Kentang di Indonesia (Potato Germplasm Prospects to Support The Self-Sufficiency of Potato Seed in Indonesia). *Pusat Penelitian Sumberdaya Hayati Dan Bioteknologi (PPSHB) IPB Dan Jurusan Agrohort, Fakultas Pertanian IPB*, April.
- Wijayanto, T., Boer, D., & Ente, L. (2013). Hubungan Kekerabatan Akses Pisang Kepok (*Musa Paradisiaca* *Formatypica*) di Kabupaten Muna. *Agroteknos*,

3(3), 163–169.

- Zhou, L., Su, Y. C. F., Chalermglin, P., & Saunders, R. M. K. (2010). Molecular phylogenetics of *Uvaria* (Annonaceae): Relationships with *Balunga*, *Dasoclema* and Australian species of *Melodorum*. *Botanical Journal of the Linnean Society*, 163(1), 33–43. <https://doi.org/10.1111/j.1095-8339.2010.01045.x>